

cd Mar 21-27 1995.log

RCS file: /p/cvsroot/atlas/BOM,v  
Working file: atlas/BOM  
head: 7.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 7.0  
keyword substitution: kv  
total revisions: 1799; selected revisions: 11  
description:

-----  
revision 2.100  
date: 1995/03/25 01:28:26; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.

-----  
revision 2.99  
date: 1995/03/25 01:10:46; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvff

change xvff to xvffq

-----  
revision 2.98  
date: 1995/03/25 01:09:20; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

-----  
revision 2.97  
date: 1995/03/24 23:15:24; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

-----  
revision 2.96  
date: 1995/03/24 20:13:53; author: brianl; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Changed xvd1a and xvd1b references to xvd1aq and xvd1bq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.

-----  
revision 2.95  
date: 1995/03/23 19:23:47; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

-----  
revision 2.94  
date: 1995/03/23 00:50:09; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/doc

Release nb array documentation

Geert

-----  
revision 2.93  
date: 1995/03/22 02:02:40; author: tom; state: Exp; lines: +2 -2

cd Mar 21-27 1995.log

Release Target: atlas/ged

add primitives section

-----  
revision 2.92  
date: 1995/03/22 01:35:55; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged  
README

add primitives section

-----  
revision 2.91  
date: 1995/03/22 00:50:00; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
padintvss.ly  
padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads

-----  
revision 2.90  
date: 1995/03/21 20:54:09; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
sofa\_pins.ly

Release of sofa\_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v  
working file: atlas/baseplate/chipparms.m4  
head: 1.21  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.21  
keyword substitution: kv  
total revisions: 21; selected revisions: 1  
description:

-----  
revision 1.13  
date: 1995/03/23 02:46:43; author: ong; state: Exp; lines: +19 -7  
Changes to place pads, scribe/seal ring

=====

RCS file: /p/cvsroot/atlas/baseplate/padring.awk,v  
working file: atlas/baseplate/padring.awk  
head: 1.12  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.12  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 1.6  
date: 1995/03/23 02:46:46; author: ong; state: Exp; lines: +76 -44  
Changes to place pads, scribe/seal ring

=====

RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v  
working file: atlas/baseplate/sharedbaseplate.sgen.m4

cd Mar 21-27 1995.log

head: 1.41  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.41  
keyword substitution: kv  
total revisions: 41;   selected revisions: 2  
description:

-----  
revision 1.14  
date: 1995/03/25 00:01:45; author: ong; state: Exp; lines: +2 -2  
Added clockspars to the cutout list  
-----

revision 1.13  
date: 1995/03/23 02:46:48; author: ong; state: Exp; lines: +8 -4  
Changes to place pads, scribe/seal ring  
=====

RCS file: /p/cvsroot/atlas/compass/BOM,v  
working file: atlas/compass/BOM  
head: 10.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 10.0  
keyword substitution: kv  
total revisions: 217;   selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.5  
date: 1995/03/22 00:49:50; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
    padintvss.ly  
    padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads  
-----

revision 2.4  
date: 1995/03/21 20:53:58; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
    sofa\_pins.ly

Release of sofa\_pins.ly for baseplate model  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/BOM,v  
working file: atlas/compass/layouts/BOM  
head: 75.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 75.0  
keyword substitution: kv  
total revisions: 278;   selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 4.2  
date: 1995/03/22 00:49:39; author: wampler; state: Exp; lines: +9 -1

cd Mar 21-27 1995.log  
Release Target: atlas/compass/layouts  
    padintvss.ly  
    padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads

-----  
revision 4.1  
date: 1995/03/21 20:53:46; author: wampler; state: Exp; lines: +5 -1  
Release Target: atlas/compass/layouts  
    sofa\_pins.ly

Release of sofa\_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v  
working file: atlas/compass/layouts/atlas.db  
head: 1.136  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.136  
keyword substitution: kv  
total revisions: 136; selected revisions: 10  
description:

-----  
revision 1.33  
date: 1995/03/24 23:37:48; author: chip; state: Exp; lines: +36 -36  
periodic checkin of Fri Mar 24 15:37:44 PST 1995

-----  
revision 1.32  
date: 1995/03/24 23:17:18; author: chip; state: Exp; lines: +57 -57  
periodic checkin of Fri Mar 24 15:17:15 PST 1995

-----  
revision 1.31  
date: 1995/03/23 21:57:57; author: chip; state: Exp; lines: +46 -46  
periodic checkin of Thu Mar 23 13:57:54 PST 1995

-----  
revision 1.30  
date: 1995/03/23 17:35:35; author: chip; state: Exp; lines: +27 -27  
periodic checkin of Thu Mar 23 09:35:30 PST 1995

-----  
revision 1.29  
date: 1995/03/23 00:20:05; author: chip; state: Exp; lines: +58 -57  
periodic checkin of Wed Mar 22 16:20:02 PST 1995

-----  
revision 1.28  
date: 1995/03/22 23:40:36; author: chip; state: Exp; lines: +57 -57  
periodic checkin of Wed Mar 22 15:40:33 PST 1995

-----  
revision 1.27  
date: 1995/03/22 22:51:58; author: chip; state: Exp; lines: +16 -15  
periodic checkin of Wed Mar 22 14:51:55 PST 1995

-----  
revision 1.26  
date: 1995/03/22 22:05:24; author: chip; state: Exp; lines: +11 -10  
periodic checkin of Wed Mar 22 14:05:21 PST 1995

-----  
revision 1.25  
date: 1995/03/22 20:31:59; author: chip; state: Exp; lines: +68 -68  
periodic checkin of Wed Mar 22 12:31:55 PST 1995

-----  
revision 1.24

cd Mar 21-27 1995.log  
date: 1995/03/21 22:50:29; author: chip; state: Exp; lines: +63 -59  
periodic checkin of Tue Mar 21 14:50:26 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cabsel.ly,v  
working file: atlas/compass/layouts/cabsel.ly  
head: 4.19  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.19  
keyword substitution: kv  
total revisions: 19; selected revisions: 2  
description:

---

revision 4.5  
date: 1995/03/23 21:31:23; author: chip; state: Exp; lines: +524 -58  
periodic checkin of Thu Mar 23 13:31:15 PST 1995

---

revision 4.4  
date: 1995/03/23 00:55:21; author: chip; state: Exp; lines: +94 -598  
periodic checkin of Wed Mar 22 16:55:15 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cainvc.ly,v  
working file: atlas/compass/layouts/cainvc.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10; selected revisions: 5  
description:

---

revision 4.7  
date: 1995/03/23 21:31:24; author: chip; state: Exp; lines: +46 -52  
periodic checkin of Thu Mar 23 13:31:15 PST 1995

---

revision 4.6  
date: 1995/03/23 00:55:22; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 16:55:15 PST 1995

---

revision 4.5  
date: 1995/03/22 18:21:38; author: chip; state: Exp; lines: +113 -114  
periodic checkin of Wed Mar 22 10:21:34 PST 1995

---

revision 4.4  
date: 1995/03/21 23:47:23; author: chip; state: Exp; lines: +17 -18  
periodic checkin of Tue Mar 21 15:47:19 PST 1995

---

revision 4.3  
date: 1995/03/21 22:58:19; author: chip; state: Exp; lines: +119 -106  
periodic checkin of Tue Mar 21 14:58:16 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cardxdec.ly,v  
working file: atlas/compass/layouts/cardxdec.ly  
head: 4.6  
branch:  
locks: strict

cd Mar 21-27 1995.log

access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6;      selected revisions: 5  
description:

-----  
revision 4.5  
date: 1995/03/23 21:31:26; author: chip; state: Exp; lines: +273 -232  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.4  
date: 1995/03/23 00:55:24; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----

revision 4.3  
date: 1995/03/22 18:21:39; author: chip; state: Exp; lines: +388 -390  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
-----

revision 4.2  
date: 1995/03/21 23:47:25; author: chip; state: Exp; lines: +165 -104  
periodic checkin of Tue Mar 21 15:47:19 PST 1995  
-----

revision 4.1  
date: 1995/03/21 22:46:50; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 14:46:47 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cardxdec2.ly,v  
working file: atlas/compass/layouts/cardxdec2.ly  
head: 4.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.5  
keyword substitution: kv  
total revisions: 5;      selected revisions: 5  
description:

-----  
revision 4.5  
date: 1995/03/23 21:31:28; author: chip; state: Exp; lines: +115 -72  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.4  
date: 1995/03/23 00:55:26; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----

revision 4.3  
date: 1995/03/22 18:21:41; author: chip; state: Exp; lines: +259 -257  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
-----

revision 4.2  
date: 1995/03/21 23:47:26; author: chip; state: Exp; lines: +67 -4  
periodic checkin of Tue Mar 21 15:47:19 PST 1995  
-----

revision 4.1  
date: 1995/03/21 22:46:52; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 14:46:47 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/carxd1024.ly,v  
working file: atlas/compass/layouts/carxd1024.ly

cd Mar 21-27 1995.log

head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12;   selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/23 21:31:30; author: chip; state: Exp; lines: +1107 -8  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.1  
date: 1995/03/23 00:55:28; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/carxdec64.ly,v  
working file: atlas/compass/layouts/carxdec64.ly  
head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6;   selected revisions: 3  
description:

-----  
revision 4.3  
date: 1995/03/23 21:31:32; author: chip; state: Exp; lines: +88 -85  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.2  
date: 1995/03/23 00:55:30; author: chip; state: Exp; lines: +160 -161  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----

revision 4.1  
date: 1995/03/22 18:21:42; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/carxdec8.ly,v  
working file: atlas/compass/layouts/carxdec8.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8;   selected revisions: 4  
description:

-----  
revision 4.4  
date: 1995/03/23 21:31:34; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.3  
date: 1995/03/22 18:21:44; author: chip; state: Exp; lines: +71 -12  
periodic checkin of Wed Mar 22 10:21:34 PST 1995

cd Mar 21-27 1995.log

-----  
revision 4.2  
date: 1995/03/21 23:47:27; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Tue Mar 21 15:47:19 PST 1995  
-----

revision 4.1  
date: 1995/03/21 22:46:53; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 14:46:47 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxhreg.ly,v  
working file: atlas/compass/layouts/caxhreg.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/24 23:35:40; author: chip; state: Exp;  
periodic checkin of Fri Mar 24 15:35:37 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxpre4.ly,v  
working file: atlas/compass/layouts/caxpre4.ly  
head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/24 23:35:42; author: chip; state: Exp;  
periodic checkin of Fri Mar 24 15:35:37 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxpre4s.ly,v  
working file: atlas/compass/layouts/caxpre4s.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7; selected revisions: 2  
description:  
-----

revision 4.2  
date: 1995/03/24 23:37:50; author: chip; state: Exp; lines: +52 -65  
periodic checkin of Fri Mar 24 15:37:44 PST 1995  
-----

revision 4.1  
date: 1995/03/22 20:32:02; author: chip; state: Exp;  
periodic checkin of wed Mar 22 12:31:55 PST 1995



cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/cgtddrv.ly,v
working file: atlas/compass/layouts/cgtddrv.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.5
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
-----
```

```
revision 4.2
date: 1995/03/22 23:07:09; author: chip; state: Exp; lines: +3 -4
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
```

```
revision 4.1
date: 1995/03/21 18:13:16; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:13:13 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/cgtddrv_2x.ly,v
working file: atlas/compass/layouts/cgtddrv_2x.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/21 18:10:45; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:10:41 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/cgtm1col.ly,v
working file: atlas/compass/layouts/cgtm1col.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;    selected revisions: 4
description:
-----
```

```
revision 4.4
date: 1995/03/22 23:07:11; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
```

```
revision 4.3
date: 1995/03/22 23:03:07; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Mar 22 15:03:03 PST 1995
-----
```

```
revision 4.2
date: 1995/03/22 22:49:56; author: chip; state: Exp; lines: +9 -15
periodic checkin of Wed Mar 22 14:49:53 PST 1995
```

cd Mar 21-27 1995.log

-----  
revision 4.1  
date: 1995/03/22 21:37:15; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 13:37:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch.ly,v  
working file: atlas/compass/layouts/cgtmatch.ly  
head: 4.16  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.16  
keyword substitution: kv  
total revisions: 16; selected revisions: 2  
description:  
-----

revision 4.6  
date: 1995/03/22 23:07:13; author: chip; state: Exp; lines: +4 -5  
periodic checkin of Wed Mar 22 15:07:06 PST 1995  
-----

revision 4.5  
date: 1995/03/21 17:40:37; author: chip; state: Exp; lines: +61 -57  
periodic checkin of Tue Mar 21 09:40:30 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch\_2x2.ly,v  
working file: atlas/compass/layouts/cgtmatch\_2x2.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/21 18:10:49; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 10:10:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmpu.ly,v  
working file: atlas/compass/layouts/cgtmpu.ly  
head: 4.19  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.19  
keyword substitution: kv  
total revisions: 19; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/22 23:07:14; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 15:07:06 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmsa.ly,v  
working file: atlas/compass/layouts/cgtmsa.ly

cd Mar 21-27 1995.log

head: 4.20  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.20  
keyword substitution: kv  
total revisions: 20;    selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/22 23:07:16; author: chip; state: Exp;  
periodic checkin of wed Mar 22 15:07:06 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtsa.ly,v  
working file: atlas/compass/layouts/cgtsa.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11;    selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/22 23:07:18; author: chip; state: Exp;  
periodic checkin of wed Mar 22 15:07:06 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtsa\_2x.ly,v  
working file: atlas/compass/layouts/cgtsa\_2x.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.1  
keyword substitution: kv  
total revisions: 1;     selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/22 23:07:21; author: chip; state: Exp;  
periodic checkin of wed Mar 22 15:07:06 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtvapnff.ly,v  
working file: atlas/compass/layouts/cgtvapnff.ly  
head: 4.20  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.20  
keyword substitution: kv  
total revisions: 20;    selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/21 18:13:20; author: chip; state: Exp;

cd Mar 21-27 1995.log  
periodic checkin of Tue Mar 21 10:13:13 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtvapnff\_2x1.ly,v  
working file: atlas/compass/layouts/cgtvapnff\_2x1.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:

-----

revision 4.1  
date: 1995/03/21 18:10:52; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 10:10:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_fillet.ly,v  
working file: atlas/compass/layouts/pad\_fillet.ly  
head: 4.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----

revision 4.2  
date: 1995/03/23 19:11:45; author: chip; state: Exp; lines: +7 -8  
periodic checkin of Thu Mar 23 11:11:42 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad\_guardring.ly,v  
working file: atlas/compass/layouts/pad\_guardring.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;    selected revisions: 3  
description:

-----

revision 4.7  
date: 1995/03/22 23:07:23; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Wed Mar 22 15:07:06 PST 1995

-----

revision 4.6  
date: 1995/03/22 21:45:09; author: chip; state: Exp; lines: +13 -13  
periodic checkin of Wed Mar 22 13:45:06 PST 1995

-----

revision 4.5  
date: 1995/03/22 00:12:59; author: chip; state: Exp; lines: +11 -11  
periodic checkin of Tue Mar 21 16:12:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_hem.ly,v  
working file: atlas/compass/layouts/pad\_hem.ly

cd Mar 21-27 1995.log

head: 4.17  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.17  
keyword substitution: kv  
total revisions: 17;   selected revisions: 3  
description:

-----  
revision 4.4  
date: 1995/03/23 21:55:59; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 13:55:55 PST 1995  
-----

revision 4.3  
date: 1995/03/23 17:35:38; author: chip; state: Exp; lines: +17 -11  
periodic checkin of Thu Mar 23 09:35:30 PST 1995  
-----

revision 4.2  
date: 1995/03/23 00:17:47; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad\_hem2.ly,v  
working file: atlas/compass/layouts/pad\_hem2.ly  
head: 4.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;   selected revisions: 1  
description:

-----  
revision 4.3  
date: 1995/03/23 01:21:44; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 17:21:39 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_n\_static.ly,v  
working file: atlas/compass/layouts/pad\_n\_static.ly  
head: 4.15  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.15  
keyword substitution: kv  
total revisions: 15;   selected revisions: 1  
description:

-----  
revision 4.5  
date: 1995/03/24 01:18:04; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 17:18:00 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_n\_subcell.ly,v  
working file: atlas/compass/layouts/pad\_n\_subcell.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:

cd Mar 21-27 1995.log

b4\_rich: 4.11

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

-----  
revision 4.6

date: 1995/03/24 01:08:09; author: chip; state: Exp; lines: +5 -5

periodic checkin of Thu Mar 23 17:08:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_p\_static.ly,v

Working file: atlas/compass/layouts/pad\_p\_static.ly

head: 4.11

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.11

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

-----  
revision 4.4

date: 1995/03/24 01:18:05; author: chip; state: Exp; lines: +5 -5

periodic checkin of Thu Mar 23 17:18:00 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_p\_subcell.ly,v

Working file: atlas/compass/layouts/pad\_p\_subcell.ly

head: 4.9

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.9

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

-----  
revision 4.5

date: 1995/03/24 01:08:12; author: chip; state: Exp; lines: +5 -5

periodic checkin of Thu Mar 23 17:08:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_pwrbusse.ly,v

Working file: atlas/compass/layouts/pad\_pwrbusse.ly

head: 4.9

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.9

keyword substitution: kv

total revisions: 9; selected revisions: 2

description:

-----  
revision 4.2

date: 1995/03/24 00:15:50; author: chip; state: Exp; lines: +2 -2

periodic checkin of Thu Mar 23 16:15:46 PST 1995  
=====

revision 4.1

date: 1995/03/23 00:17:50; author: chip; state: Exp;

periodic checkin of wed Mar 22 16:17:43 PST 1995

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padbase.ly,v
working file: atlas/compass/layouts/padbase.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;    selected revisions: 5
description:
-----
```

```
revision 4.5
date: 1995/03/24 19:34:25; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
```

```
revision 4.4
date: 1995/03/24 01:08:13; author: chip; state: Exp; lines: +45 -7
periodic checkin of Thu Mar 23 17:08:05 PST 1995
-----
```

```
revision 4.3
date: 1995/03/23 22:06:51; author: chip; state: Exp; lines: +2 -3
periodic checkin of Thu Mar 23 14:06:48 PST 1995
-----
```

```
revision 4.2
date: 1995/03/23 21:56:00; author: chip; state: Exp; lines: +15 -2
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
```

```
revision 4.1
date: 1995/03/23 00:17:53; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padbase_signal.ly,v
working file: atlas/compass/layouts/padbase_signal.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/23 00:17:56; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v
working file: atlas/compass/layouts/padhib.ly
head: 4.34
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.34
keyword substitution: kv
total revisions: 34;    selected revisions: 4
description:
-----
```

```
revision 4.13
```

cd Mar 21-27 1995.log  
date: 1995/03/24 21:53:38; author: chip; state: Exp; lines: +10 -8  
periodic checkin of Fri Mar 24 13:53:34 PST 1995

-----  
revision 4.12  
date: 1995/03/24 19:34:27; author: chip; state: Exp; lines: +31 -7  
periodic checkin of Fri Mar 24 11:34:21 PST 1995

-----  
revision 4.11  
date: 1995/03/23 19:29:22; author: chip; state: Exp; lines: +13 -16  
periodic checkin of Thu Mar 23 11:29:18 PST 1995

-----  
revision 4.10  
date: 1995/03/23 00:17:58; author: chip; state: Exp; lines: +3 -41  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvdd.ly,v  
Working file: atlas/compass/layouts/padintvdd.ly  
head: 4.16  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.16  
keyword substitution: kv  
total revisions: 16; selected revisions: 1  
description:  
-----

revision 4.6  
date: 1995/03/22 00:36:34; author: chip; state: Exp; lines: +6 -2  
periodic checkin of Tue Mar 21 16:36:26 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvss.ly,v  
Working file: atlas/compass/layouts/padintvss.ly  
head: 4.17  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.17  
keyword substitution: kv  
total revisions: 17; selected revisions: 1  
description:  
-----

revision 4.6  
date: 1995/03/22 00:39:09; author: chip; state: Exp; lines: +6 -2  
periodic checkin of Tue Mar 21 16:39:06 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padm3io.ly,v  
Working file: atlas/compass/layouts/padm3io.ly  
head: 4.20  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.20  
keyword substitution: kv  
total revisions: 20; selected revisions: 4  
description:  
-----

revision 4.8



cd Mar 21-27 1995.log  
date: 1995/03/24 01:08:15; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 23 17:08:05 PST 1995

-----  
revision 4.7  
date: 1995/03/23 23:02:11; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 15:02:08 PST 1995

-----  
revision 4.6  
date: 1995/03/23 22:26:54; author: chip; state: Exp; lines: +2 -6  
periodic checkin of Thu Mar 23 14:26:51 PST 1995

-----  
revision 4.5  
date: 1995/03/21 19:46:21; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Tue Mar 21 11:46:19 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padttl.ly,v  
working file: atlas/compass/layouts/padttl.ly  
head: 4.23  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.23  
keyword substitution: kv  
total revisions: 23; selected revisions: 4  
description:

-----  
revision 4.12  
date: 1995/03/24 21:53:40; author: chip; state: Exp; lines: +39 -13  
periodic checkin of Fri Mar 24 13:53:34 PST 1995

-----  
revision 4.11  
date: 1995/03/23 19:29:25; author: chip; state: Exp; lines: +12 -15  
periodic checkin of Thu Mar 23 11:29:18 PST 1995

-----  
revision 4.10  
date: 1995/03/23 17:35:40; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Thu Mar 23 09:35:30 PST 1995

-----  
revision 4.9  
date: 1995/03/23 00:18:00; author: chip; state: Exp; lines: +3 -41  
periodic checkin of Wed Mar 22 16:17:43 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v  
working file: atlas/compass/layouts/padvdd.ly  
head: 2.38  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.38  
keyword substitution: kv  
total revisions: 38; selected revisions: 5  
description:

-----  
revision 2.21  
date: 1995/03/24 19:34:28; author: chip; state: Exp; lines: +19 -10  
periodic checkin of Fri Mar 24 11:34:21 PST 1995

-----  
revision 2.20  
date: 1995/03/23 21:56:02; author: chip; state: Exp; lines: +4 -4

```

cd Mar 21-27 1995.log
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 2.19
date: 1995/03/23 19:09:09; author: chip; state: Exp; lines: +9 -11
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----
revision 2.18
date: 1995/03/23 17:35:41; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 09:35:30 PST 1995
-----
revision 2.17
date: 1995/03/23 00:18:02; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v
working file: atlas/compass/layouts/padvss.ly
head: 4.31
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.31
keyword substitution: kv
total revisions: 31; selected revisions: 3
description:
-----
revision 4.12
date: 1995/03/24 19:34:30; author: chip; state: Exp; lines: +26 -12
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 4.11
date: 1995/03/23 21:56:03; author: chip; state: Exp; lines: +17 -16
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 4.10
date: 1995/03/23 00:18:04; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/paguardring.ly,v
working file: atlas/compass/layouts/paguardring.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/23 22:01:40; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 4.1
date: 1995/03/22 23:05:06; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:05:03 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/paguardring_125u.ly,v
working file: atlas/compass/layouts/paguardring_125u.ly

```

cd Mar 21-27 1995.log

```
head: 4.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/22 22:03:34; author: chip; state: Exp; lines: +2 -2
periodic checkin of wed Mar 22 14:03:31 PST 1995
-----
revision 4.1
date: 1995/03/22 21:45:11; author: chip; state: Exp;
periodic checkin of wed Mar 22 13:45:06 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/paguardring_161u.ly,v
working file: atlas/compass/layouts/paguardring_161u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/22 21:45:13; author: chip; state: Exp;
periodic checkin of wed Mar 22 13:45:06 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/paguardring_305u.ly,v
working file: atlas/compass/layouts/paguardring_305u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/22 21:45:15; author: chip; state: Exp;
periodic checkin of wed Mar 22 13:45:06 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal_crn.ly,v
working file: atlas/compass/layouts/pascribeseal_crn.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.17
keyword substitution: kv
total revisions: 17;      selected revisions: 4
description:
-----
revision 4.4
```

cd Mar 21-27 1995.log  
date: 1995/03/23 17:06:03; author: chip; state: Exp; lines: +0 -1  
periodic checkin of Thu Mar 23 09:05:59 PST 1995

-----  
revision 4.3  
date: 1995/03/22 23:03:09; author: chip; state: Exp; lines: +5 -8  
periodic checkin of Wed Mar 22 15:03:03 PST 1995

-----  
revision 4.2  
date: 1995/03/22 23:01:01; author: chip; state: Exp; lines: +22 -6  
periodic checkin of Wed Mar 22 15:00:57 PST 1995

-----  
revision 4.1  
date: 1995/03/22 22:49:58; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 14:49:53 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal\_horz.ly,v  
working file: atlas/compass/layouts/pascribeseal\_horz.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 3  
description:

-----  
revision 4.3  
date: 1995/03/22 23:46:51; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Wed Mar 22 15:46:49 PST 1995

-----  
revision 4.2  
date: 1995/03/22 23:05:09; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 15:05:03 PST 1995

-----  
revision 4.1  
date: 1995/03/22 22:50:00; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 14:49:53 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal\_vert.ly,v  
working file: atlas/compass/layouts/pascribeseal\_vert.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/22 23:05:10; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 15:05:03 PST 1995

-----  
revision 4.1  
date: 1995/03/22 22:50:01; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 14:49:53 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/sofa\_pins.ly,v

```
cd Mar 21-27 1995.log
working file: atlas/compass/layouts/sofa_pins.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
```

```
-----
revision 4.1
date: 1995/03/21 20:52:07; author: chip; state: Exp;
periodic checkin of Tue Mar 21 12:52:04 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/test_column.ly,v
working file: atlas/compass/layouts/test_column.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
```

```
-----
revision 4.1
date: 1995/03/21 17:18:45; author: chip; state: Exp;
periodic checkin of Tue Mar 21 09:18:42 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v
working file: atlas/compass/layouts/vlsi.log
head: 1.3654
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654; selected revisions: 104
description:
```

```
-----
revision 1.563
date: 1995/03/25 02:13:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 18:13:28 PST 1995
=====
```

```
revision 1.562
date: 1995/03/25 00:50:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 16:49:55 PST 1995
=====
```

```
revision 1.561
date: 1995/03/24 23:37:54; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 24 15:37:44 PST 1995
=====
```

```
revision 1.560
date: 1995/03/24 23:35:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 24 15:35:37 PST 1995
=====
```

```
revision 1.559
date: 1995/03/24 23:25:44; author: chip; state: Exp; lines: +1 -0
```

```

cd Mar 21-27 1995.log
periodic checkin of Fri Mar 24 15:25:39 PST 1995
-----
revision 1.558
date: 1995/03/24 23:15:09; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 24 15:15:02 PST 1995
-----
revision 1.557
date: 1995/03/24 22:45:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 14:45:46 PST 1995
-----
revision 1.556
date: 1995/03/24 21:53:44; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 24 13:53:34 PST 1995
-----
revision 1.555
date: 1995/03/24 19:36:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:36:22 PST 1995
-----
revision 1.554
date: 1995/03/24 19:34:33; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 1.553
date: 1995/03/24 19:01:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:01:08 PST 1995
-----
revision 1.552
date: 1995/03/24 18:48:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 10:47:55 PST 1995
-----
revision 1.551
date: 1995/03/24 01:18:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 23 17:18:00 PST 1995
-----
revision 1.550
date: 1995/03/24 01:16:15; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 17:16:11 PST 1995
-----
revision 1.549
date: 1995/03/24 01:08:19; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 17:08:05 PST 1995
-----
revision 1.548
date: 1995/03/24 00:55:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:55:38 PST 1995
-----
revision 1.547
date: 1995/03/24 00:53:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:53:49 PST 1995
-----
revision 1.546
date: 1995/03/24 00:22:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:22:03 PST 1995
-----
revision 1.545
date: 1995/03/24 00:15:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:15:46 PST 1995
-----
revision 1.544
date: 1995/03/24 00:07:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:07:42 PST 1995
-----
revision 1.543

```

```

cd Mar 21-27 1995.log
date: 1995/03/23 23:24:18; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:24:12 PST 1995
-----
revision 1.542
date: 1995/03/23 23:09:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 15:09:54 PST 1995
-----
revision 1.541
date: 1995/03/23 23:06:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 15:06:22 PST 1995
-----
revision 1.540
date: 1995/03/23 23:02:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:02:08 PST 1995
-----
revision 1.539
date: 1995/03/23 22:28:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 14:28:47 PST 1995
-----
revision 1.538
date: 1995/03/23 22:26:57; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:26:51 PST 1995
-----
revision 1.537
date: 1995/03/23 22:06:55; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:06:48 PST 1995
-----
revision 1.536
date: 1995/03/23 22:01:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 1.535
date: 1995/03/23 21:58:01; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Mar 23 13:57:54 PST 1995
-----
revision 1.534
date: 1995/03/23 21:56:06; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 1.533
date: 1995/03/23 21:34:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 13:33:59 PST 1995
-----
revision 1.532
date: 1995/03/23 21:31:39; author: chip; state: Exp; lines: +21 -0
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 1.531
date: 1995/03/23 19:29:29; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 23 11:29:18 PST 1995
-----
revision 1.530
date: 1995/03/23 19:16:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 11:16:37 PST 1995
-----
revision 1.529
date: 1995/03/23 19:11:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 11:11:42 PST 1995
-----
revision 1.528
date: 1995/03/23 19:09:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----

```

cd Mar 21-27 1995.log

revision 1.527  
date: 1995/03/23 17:58:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 23 09:58:29 PST 1995  
-----  
revision 1.526  
date: 1995/03/23 17:35:45; author: chip; state: Exp; lines: +11 -0  
periodic checkin of Thu Mar 23 09:35:30 PST 1995  
-----  
revision 1.525  
date: 1995/03/23 17:06:08; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 23 09:05:59 PST 1995  
-----  
revision 1.524  
date: 1995/03/23 17:01:05; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 23 09:00:58 PST 1995  
-----  
revision 1.523  
date: 1995/03/23 01:29:06; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:28:58 PST 1995  
-----  
revision 1.522  
date: 1995/03/23 01:21:49; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 22 17:21:39 PST 1995  
-----  
revision 1.521  
date: 1995/03/23 01:19:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:19:32 PST 1995  
-----  
revision 1.520  
date: 1995/03/23 01:17:35; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:17:29 PST 1995  
-----  
revision 1.519  
date: 1995/03/23 01:15:29; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:15:23 PST 1995  
-----  
revision 1.518  
date: 1995/03/23 01:11:15; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:11:09 PST 1995  
-----  
revision 1.517  
date: 1995/03/23 01:01:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:00:57 PST 1995  
-----  
revision 1.516  
date: 1995/03/23 00:55:34; author: chip; state: Exp; lines: +21 -0  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----  
revision 1.515  
date: 1995/03/23 00:39:02; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:38:56 PST 1995  
-----  
revision 1.514  
date: 1995/03/23 00:33:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:33:32 PST 1995  
-----  
revision 1.513  
date: 1995/03/23 00:28:05; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:28:00 PST 1995  
-----  
revision 1.512  
date: 1995/03/23 00:20:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:20:02 PST 1995



cd Mar 21-27 1995.log

```

-----
revision 1.511
date: 1995/03/23 00:18:10; author: chip; state: Exp; lines: +19 -0
periodic checkin of Wed Mar 22 16:17:43 PST 1995
-----
revision 1.510
date: 1995/03/23 00:06:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:06:15 PST 1995
-----
revision 1.509
date: 1995/03/22 23:58:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 15:58:17 PST 1995
-----
revision 1.508
date: 1995/03/22 23:56:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:56:21 PST 1995
-----
revision 1.507
date: 1995/03/22 23:46:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:46:49 PST 1995
-----
revision 1.506
date: 1995/03/22 23:44:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:44:42 PST 1995
-----
revision 1.505
date: 1995/03/22 23:42:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:42:27 PST 1995
-----
revision 1.504
date: 1995/03/22 23:40:39; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:40:33 PST 1995
-----
revision 1.503
date: 1995/03/22 23:07:27; author: chip; state: Exp; lines: +21 -0
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
revision 1.502
date: 1995/03/22 23:05:13; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Mar 22 15:05:03 PST 1995
-----
revision 1.501
date: 1995/03/22 23:03:13; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:03:03 PST 1995
-----
revision 1.500
date: 1995/03/22 23:01:04; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:00:57 PST 1995
-----
revision 1.499
date: 1995/03/22 22:53:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:53:49 PST 1995
-----
revision 1.498
date: 1995/03/22 22:52:02; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Mar 22 14:51:55 PST 1995
-----
revision 1.497
date: 1995/03/22 22:50:05; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 14:49:53 PST 1995
-----
revision 1.496
date: 1995/03/22 22:48:00; author: chip; state: Exp; lines: +3 -0

```

```

cd Mar 21-27 1995.log
periodic checkin of wed Mar 22 14:47:55 PST 1995
-----
revision 1.495
date: 1995/03/22 22:23:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 14:23:10 PST 1995
-----
revision 1.494
date: 1995/03/22 22:12:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Mar 22 14:12:09 PST 1995
-----
revision 1.493
date: 1995/03/22 22:10:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 14:10:19 PST 1995
-----
revision 1.492
date: 1995/03/22 22:05:27; author: chip; state: Exp; lines: +3 -0
periodic checkin of wed Mar 22 14:05:21 PST 1995
-----
revision 1.491
date: 1995/03/22 22:03:37; author: chip; state: Exp; lines: +2 -0
periodic checkin of wed Mar 22 14:03:31 PST 1995
-----
revision 1.490
date: 1995/03/22 21:52:52; author: chip; state: Exp; lines: +18 -0
periodic checkin of wed Mar 22 13:52:48 PST 1995
-----
revision 1.489
date: 1995/03/22 21:51:02; author: chip; state: Exp; lines: +24 -0
periodic checkin of wed Mar 22 13:50:58 PST 1995
-----
revision 1.488
date: 1995/03/22 21:49:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 13:49:06 PST 1995
-----
revision 1.487
date: 1995/03/22 21:47:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 13:47:15 PST 1995
-----
revision 1.486
date: 1995/03/22 21:45:18; author: chip; state: Exp; lines: +8 -0
periodic checkin of wed Mar 22 13:45:06 PST 1995
-----
revision 1.485
date: 1995/03/22 21:37:18; author: chip; state: Exp; lines: +3 -0
periodic checkin of wed Mar 22 13:37:12 PST 1995
-----
revision 1.484
date: 1995/03/22 20:32:07; author: chip; state: Exp; lines: +7 -0
periodic checkin of wed Mar 22 12:31:55 PST 1995
-----
revision 1.483
date: 1995/03/22 20:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 12:29:25 PST 1995
-----
revision 1.482
date: 1995/03/22 19:08:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 11:08:29 PST 1995
-----
revision 1.481
date: 1995/03/22 18:56:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of wed Mar 22 10:56:29 PST 1995
-----
revision 1.480

```

```

cd Mar 21-27 1995.log
date: 1995/03/22 18:21:48; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 10:21:34 PST 1995
-----
revision 1.479
date: 1995/03/22 18:13:32; author: chip; state: Exp; lines: +11 -0
periodic checkin of Wed Mar 22 10:13:26 PST 1995
-----
revision 1.478
date: 1995/03/22 18:11:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 22 10:10:55 PST 1995
-----
revision 1.477
date: 1995/03/22 17:45:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 09:45:04 PST 1995
-----
revision 1.476
date: 1995/03/22 00:36:42; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 21 16:36:26 PST 1995
-----
revision 1.475
date: 1995/03/22 00:24:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:24:53 PST 1995
-----
revision 1.474
date: 1995/03/22 00:15:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:14:59 PST 1995
-----
revision 1.473
date: 1995/03/22 00:13:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 16:12:55 PST 1995
-----
revision 1.472
date: 1995/03/21 23:47:30; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Mar 21 15:47:19 PST 1995
-----
revision 1.471
date: 1995/03/21 23:04:47; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 15:04:42 PST 1995
-----
revision 1.470
date: 1995/03/21 22:58:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:58:16 PST 1995
-----
revision 1.469
date: 1995/03/21 22:50:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:50:26 PST 1995
-----
revision 1.468
date: 1995/03/21 22:48:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 14:48:37 PST 1995
-----
revision 1.467
date: 1995/03/21 22:46:56; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 21 14:46:47 PST 1995
-----
revision 1.466
date: 1995/03/21 20:52:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 12:52:04 PST 1995
-----
revision 1.465
date: 1995/03/21 19:46:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 11:46:19 PST 1995
-----

```

cd Mar 21-27 1995.log

revision 1.464

date: 1995/03/21 19:42:25; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 21 11:42:19 PST 1995

-----  
revision 1.463

date: 1995/03/21 18:13:24; author: chip; state: Exp; lines: +9 -0  
periodic checkin of Tue Mar 21 10:13:13 PST 1995

-----  
revision 1.462

date: 1995/03/21 18:10:56; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Tue Mar 21 10:10:41 PST 1995

-----  
revision 1.461

date: 1995/03/21 17:40:42; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Tue Mar 21 09:40:30 PST 1995

-----  
revision 1.460

date: 1995/03/21 17:18:48; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 21 09:18:42 PST 1995

=====

RCS file: /p/cvsroot/atlas/dcell/Makefile,v

working file: atlas/dcell/Makefile

head: 1.9

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.9

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/25 00:00:18; author: ong; state: Exp; lines: +2 -2  
New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/cache.dcell,v

working file: atlas/dcell/cache.dcell

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 1.5

date: 1995/03/25 00:00:21; author: ong; state: Exp; lines: +5 -7  
New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/custom-list,v

working file: atlas/dcell/custom-list

head: 1.15

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.15

cd Mar 21-27 1995.log

keyword substitution: kv  
total revisions: 15; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/25 00:00:23; author: ong; state: Exp; lines: +2 -2  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas/dcell/Attic/iobyte.dcell,v  
working file: atlas/dcell/iobyte.dcell  
head: 2.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/03/25 00:00:26; author: ong; state: Exp;  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas/dcell/Attic/regfile.dcell,v  
working file: atlas/dcell/regfile.dcell  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/03/25 00:00:28; author: ong; state: Exp;  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas/dcell/Attic/tag.dcell,v  
working file: atlas/dcell/tag.dcell  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/03/25 00:00:31; author: ong; state: Exp;  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas/dcell/Attic/tlb.dcell,v  
working file: atlas/dcell/tlb.dcell  
head: 2.1  
branch:  
locks: strict  
access list:

cd Mar 21-27 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 2.1  
date: 1995/03/25 00:00:34; author: ong; state: Exp;  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas/doc/BOM,v  
working file: atlas/doc/BOM  
head: 37.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 37.0  
keyword substitution: kv  
total revisions: 83; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 30.0  
date: 1995/03/23 00:49:56; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

Release nb array documentation

Geert

-----  
revision 29.3  
date: 1995/03/23 00:49:48; author: geert; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/doc/nbbuf.ht,v  
working file: atlas/doc/nbbuf.ht  
head: 29.1  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 29.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 29.1  
date: 1995/03/23 00:42:24; author: geert; state: Exp;  
Nb buffer specifications

Geert

=====

RCS file: /p/cvsroot/atlas/gards/BOM,v  
working file: atlas/gards/BOM  
head: 37.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 37.0

cd Mar 21-27 1995.log

keyword substitution: kv  
total revisions: 88; selected revisions: 2  
description:

-----  
revision 2.5  
date: 1995/03/25 01:28:17; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.

-----  
revision 2.4  
date: 1995/03/23 19:23:37; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

=====

RCS file: /p/cvsroot/atlas/gards/Makefile,v  
working file: atlas/gards/Makefile  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/22 00:54:58; author: wampler; state: Exp; lines: +2 -2  
Makefile:  
    Removed ged/sc/sc-list & exlast/list from SOFA\_LIST definition  
Makefile.chipbase  
    Commented out sofa\_captiles copy into gards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas/gards/Makefile.chipbase,v  
working file: atlas/gards/Makefile.chipbase  
head: 1.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.10  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/22 00:55:00; author: wampler; state: Exp; lines: +6 -6  
Makefile:  
    Removed ged/sc/sc-list & exlast/list from SOFA\_LIST definition  
Makefile.chipbase  
    Commented out sofa\_captiles copy into gards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas/gards/basegen/BOM,v  
working file: atlas/gards/basegen/BOM  
head: 31.0

cd Mar 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 31.0  
keyword substitution: kv  
total revisions: 60;     selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 7.0  
date: 1995/03/25 01:28:07; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.

-----  
revision 6.1  
date: 1995/03/25 01:28:01; author: wampler; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 6.0  
date: 1995/03/23 19:23:26; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

General GARDS baseplate generating scripts

Gert

-----  
revision 5.1  
date: 1995/03/23 19:23:18; author: geert; state: Exp; lines: +4 -4  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/gards/basegen/basecompile.v  
working file: atlas/gards/basegen/basecompile  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;     selected revisions: 1  
description:  
-----  
revision 1.2  
date: 1995/03/22 00:52:28; author: wampler; state: Exp; lines: +2 -2  
basecompile: fixed global pin handling  
flat.sel: added power pads etc.  
sofa\_model.ly.template: updated locations of 3 global pins vss, vdd, phi\_am

=====

RCS file: /p/cvsroot/atlas/gards/basegen/flat.sel,v  
working file: atlas/gards/basegen/flat.sel  
head: 1.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.12  
keyword substitution: kv  
total revisions: 12;     selected revisions: 1



cd Mar 21-27 1995.log

description:

-----  
revision 1.2  
date: 1995/03/22 00:52:30; author: wampler; state: Exp; lines: +9 -4  
basecompile: fixed global pin handling  
flat.sel: added power pads etc.  
sofa\_model.ly.template: updated locations of 3 global pins vss, vdd, phi\_am  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa\_model.ly.template,v  
working file: atlas/gards/basegen/sofa\_model.ly.template  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/22 00:52:32; author: wampler; state: Exp; lines: +4 -4  
basecompile: fixed global pin handling  
flat.sel: added power pads etc.  
sofa\_model.ly.template: updated locations of 3 global pins vss, vdd, phi\_am  
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofacd1.c.template,v  
working file: atlas/gards/basegen/sofacd1.c.template  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 1.4  
date: 1995/03/25 01:27:18; author: wampler; state: Exp; lines: +24 -1  
Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.  
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v  
working file: atlas/ged/BOM  
head: 22.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 22.0  
keyword substitution: kv  
total revisions: 654; selected revisions: 7  
description:

-----  
revision 6.4  
date: 1995/03/25 01:10:36; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvff  
change xvff to xvffq

cd Mar 21-27 1995.log

-----  
revision 6.3

date: 1995/03/25 01:09:10; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq  
-----

revision 6.2

date: 1995/03/24 23:15:15; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp  
-----

revision 6.1

date: 1995/03/24 20:13:42; author: brianl; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.  
-----

revision 6.0

date: 1995/03/22 02:02:28; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged

add primitives section  
-----

revision 5.6

date: 1995/03/22 02:02:21; author: tom; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r

revision 5.5

date: 1995/03/22 01:35:46; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged  
README

add primitives section  
=====

RCS file: /p/cvsroot/atlas/ged/README,v

working file: atlas/ged/README

head: 1.17

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.17

keyword substitution: kv

total revisions: 17; selected revisions: 1

description:  
-----

revision 1.4

date: 1995/03/22 01:35:31; author: tom; state: Exp; lines: +3 -1

add primitives section  
=====

RCS file: /p/cvsroot/atlas/ged/devices/BOM,v

working file: atlas/ged/devices/BOM

head: 3.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 3.0

```

                                cd Mar 21-27 1995.log
keyword substitution: kv
total revisions: 4;      selected revisions: 2
description:
releasebom adding BOM
-----
revision 3.0
date: 1995/03/24 23:15:04; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp
-----
revision 2.1
date: 1995/03/24 23:14:54; author: tom; state: Exp; lines: +5 -1
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/BOM,v
Working file: atlas/ged/devices/rdiff/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.0
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/24 23:13:37; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp
-----
revision 1.1
date: 1995/03/24 23:13:29; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/body.1.1,v
Working file: atlas/ged/devices/rdiff/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:07:41; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/chips_prt,v
Working file: atlas/ged/devices/rdiff/chips_prt
head: 1.1
branch:
locks: strict
access list:

```

cd Mar 21-27 1995.log

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:07:44; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/part.1.1,v

working file: atlas/ged/devices/rdiff/part.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:07:47; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/part\_cn.1.1,v

working file: atlas/ged/devices/rdiff/part\_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:07:50; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/subckt,v

working file: atlas/ged/devices/rdiff/subckt

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:07:53; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/BOM,v

```

                                cd Mar 21-27 1995.log
working file: atlas/ged/devices/rdiffs/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.0
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/24 23:13:55; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

```

```

add rdiff, rdiffs, rnw, and spnp
-----
revision 1.1
date: 1995/03/24 23:13:48; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

```

```

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/body.1.1,v
working file: atlas/ged/devices/rdiffs/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:08:06; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

```

```

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/chips_prt,v
working file: atlas/ged/devices/rdiffs/chips_prt
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:08:09; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

```

```

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/part.1.1,v
working file: atlas/ged/devices/rdiffs/part.1.1
head: 1.1
branch:
locks: strict
access list:

```

cd Mar 21-27 1995.log

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:08:12; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/part\_cn.1.1,v

working file: atlas/ged/devices/rdiffs/part\_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:08:15; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/subckt,v

working file: atlas/ged/devices/rdiffs/subckt

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----

revision 1.1

date: 1995/03/24 23:08:19; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/BOM,v

working file: atlas/ged/devices/rnw/BOM

head: 2.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.0

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

releasebom adding BOM

-----

revision 2.0

date: 1995/03/24 23:14:15; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

cd Mar 21-27 1995.log

-----  
revision 1.1  
date: 1995/03/24 23:14:07; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/body.1.1,v  
working file: atlas/ged/devices/rnw/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/24 23:08:25; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/chips\_prt,v  
working file: atlas/ged/devices/rnw/chips\_prt  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/24 23:08:28; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/part.1.1,v  
working file: atlas/ged/devices/rnw/part.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/24 23:08:31; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/part\_cn.1.1,v  
working file: atlas/ged/devices/rnw/part\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:

cd Mar 21-27 1995.log

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/24 23:08:33; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/subckt,v

working file: atlas/ged/devices/rnw/subckt

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/24 23:08:36; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/BOM,v

working file: atlas/ged/devices/spnp/BOM

head: 2.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.0

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 2.0

date: 1995/03/24 23:14:37; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp  
-----

revision 1.1

date: 1995/03/24 23:14:29; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/body.1.1,v

working file: atlas/ged/devices/spnp/body.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:



cd Mar 21-27 1995.log

-----  
revision 1.1  
date: 1995/03/24 23:08:40; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/chips\_prt,v  
working file: atlas/ged/devices/spnp/chips\_prt  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/24 23:08:42; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/part.1.1,v  
working file: atlas/ged/devices/spnp/part.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/24 23:08:45; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/part\_cn.1.1,v  
working file: atlas/ged/devices/spnp/part\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/24 23:08:48; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/subckt,v  
working file: atlas/ged/devices/spnp/subckt  
head: 1.1  
branch:  
locks: strict  
access list:

cd Mar 21-27 1995.log

symbolic names:

b4\_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/24 23:08:50; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/BOM,v

working file: atlas/ged/primitives/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.0

keyword substitution: kv

total revisions: 9; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 2.0

date: 1995/03/22 01:53:53; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged

add primitives section  
-----

revision 1.1

date: 1995/03/22 01:53:45; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/invc/BOM,v

working file: atlas/ged/primitives/invc/BOM

head: 2.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.0

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 2.0

date: 1995/03/22 01:51:42; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged

add primitives section  
-----

revision 1.1

date: 1995/03/22 01:51:33; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/invc/body.1.1,v

working file: atlas/ged/primitives/invc/body.1.1

head: 1.1

branch:

cd Mar 21-27 1995.log

```
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/22 01:33:41; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas/ged/primitives/invc/spice.1.1,v
working file: atlas/ged/primitives/invc/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:33:42; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas/ged/primitives/invc/spice_cn.1.1,v
working file: atlas/ged/primitives/invc/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:33:44; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/BOM,v
working file: atlas/ged/primitives/nand2c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.0
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/22 01:52:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

cd Mar 21-27 1995.log

add primitives section

-----  
revision 1.1  
date: 1995/03/22 01:51:59; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/body.1.1,v  
working file: atlas/ged/primitives/nand2c/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:33:47; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/spice.1.1,v  
working file: atlas/ged/primitives/nand2c/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:33:49; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/spice\_cn.1.1,v  
working file: atlas/ged/primitives/nand2c/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:33:50; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/BOM,v  
working file: atlas/ged/primitives/nand3c/BOM  
head: 2.0  
branch:

cd Mar 21-27 1995.log

```
locks: strict
access list:
symbolic names:
    b4_rich: 2.0
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/22 01:52:32; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

add primitives section

```
-----
revision 1.1
date: 1995/03/22 01:52:21; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/body.1.1,v
working file: atlas/ged/primitives/nand3c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:33:53; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/spice.1.1,v
working file: atlas/ged/primitives/nand3c/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:33:55; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/spice_cn.1.1,v
working file: atlas/ged/primitives/nand3c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
```

```

                                cd Mar 21-27 1995.log
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/22 01:33:56; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/BOM,v
working file: atlas/ged/primitives/nand4c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.0
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/22 01:52:52; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section
-----
revision 1.1
date: 1995/03/22 01:52:44; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/body.1.1,v
working file: atlas/ged/primitives/nand4c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/22 01:34:00; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/spice.1.1,v
working file: atlas/ged/primitives/nand4c/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/22 01:34:01; author: tom; state: Exp;

```

```
cd Mar 21-27 1995.log
importing simple cmos structures from proteus
```

---

```
RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/spice_cn.1.1,v
Working file: atlas/ged/primitives/nand4c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
```

---

```
revision 1.1
date: 1995/03/22 01:34:03; author: tom; state: Exp;
importing simple cmos structures from proteus
```

---

```
RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/BOM,v
Working file: atlas/ged/primitives/nor2c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 2.0
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
releasebom adding BOM
```

---

```
revision 2.0
date: 1995/03/22 01:53:13; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

```
add primitives section
```

---

```
revision 1.1
date: 1995/03/22 01:53:04; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
```

---

```
RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/body.1.1,v
Working file: atlas/ged/primitives/nor2c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
```

---

```
revision 1.1
date: 1995/03/22 01:34:05; author: tom; state: Exp;
importing simple cmos structures from proteus
```

---

```
RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/spice.1.1,v
Working file: atlas/ged/primitives/nor2c/spice.1.1
```

cd Mar 21-27 1995.log

head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:07; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/spice\_cn.1.1,v  
Working file: atlas/ged/primitives/nor2c/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:08; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/BOM,v  
Working file: atlas/ged/primitives/nor3c/BOM  
head: 2.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 2.0  
keyword substitution: kv  
total revisions: 2;    selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 2.0  
date: 1995/03/22 01:53:32; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged

add primitives section  
-----

revision 1.1  
date: 1995/03/22 01:53:24; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/body.1.1,v  
Working file: atlas/ged/primitives/nor3c/body.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:



cd Mar 21-27 1995.log

b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:12; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/spice.1.1,v  
working file: atlas/ged/primitives/nor3c/spice.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:13; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/spice\_cn.1.1,v  
working file: atlas/ged/primitives/nor3c/spice\_cn.1.1  
head: 1.1  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.1  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:15; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v  
working file: atlas/ged/xv/BOM  
head: 33.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 33.0  
keyword substitution: kv  
total revisions: 102; selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 14.2  
date: 1995/03/25 01:10:23; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvff

change xvff to xvffq  
-----

cd Mar 21-27 1995.log

revision 14.1

date: 1995/03/25 01:09:02; author: tom; state: Exp; lines: +5 -1  
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

-----  
revision 14.0

date: 1995/03/24 20:13:29; author: brianl; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in  
schematics for xv17andffq, xv17and1bn and xv17or1an.

-----  
revision 13.1

date: 1995/03/24 20:13:22; author: brianl; state: Exp; lines: +4 -4  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/BOM,v

working file: atlas/ged/xv/xv17andffq/BOM

head: 9.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 9.0

keyword substitution: kv

total revisions: 16; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/03/24 20:08:47; author: brianl; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in  
schematics for xv17andffq, xv17and1bn and xv17or1an.

-----  
revision 2.1

date: 1995/03/24 20:08:38; author: brianl; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice.1.1,v

working file: atlas/ged/xv/xv17andffq/spice.1.1

head: 1.8

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.8

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/24 19:45:39; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in  
schematics for xv17andffq, xv17and1bn and xv17or1an.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice\_cn.1.1,v

working file: atlas/ged/xv/xv17andffq/spice\_cn.1.1

cd Mar 21-27 1995.log

head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;      selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/24 19:58:16; author: brianl; state: Exp; lines: +2 -2  
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
spice\_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/BOM,v  
working file: atlas/ged/xv/xv17andlbn/BOM  
head: 9.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 9.0  
keyword substitution: kv  
total revisions: 16;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/24 20:09:06; author: brianl; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.  
-----

revision 2.1  
date: 1995/03/24 20:09:00; author: brianl; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/spice.1.1,v  
working file: atlas/ged/xv/xv17andlbn/spice.1.1  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;      selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/24 19:45:44; author: brianl; state: Exp; lines: +2 -2  
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv17andlbn/spice\_cn.1.1  
head: 1.8  
branch:

cd Mar 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;    selected revisions: 1  
description:

-----  
revision 1.2

date: 1995/03/24 19:58:20; author: brianl; state: Exp; lines: +2 -2  
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
spice\_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/BOM,v  
working file: atlas/ged/xv/xv17orlan/BOM  
head: 11.0  
branch:

locks: strict  
access list:  
symbolic names:  
    b4\_rich: 11.0  
keyword substitution: kv  
total revisions: 20;    selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 3.0

date: 1995/03/24 20:09:39; author: brianl; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.

-----  
revision 2.1

date: 1995/03/24 20:09:32; author: brianl; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/spice.1.1,v  
working file: atlas/ged/xv/xv17orlan/spice.1.1  
head: 1.10  
branch:

locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.10  
keyword substitution: kv  
total revisions: 10;    selected revisions: 1  
description:

-----  
revision 1.2

date: 1995/03/24 19:45:47; author: brianl; state: Exp; lines: +2 -2  
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv17orlan/spice\_cn.1.1  
head: 1.10  
branch:  
locks: strict  
access list:

cd Mar 21-27 1995.log

symbolic names:

b4\_rich: 1.10

keyword substitution: kv

total revisions: 10; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/24 19:58:22; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
spice\_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/BOM,v

working file: atlas/ged/xv/xvffq/BOM

head: 6.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/25 01:08:53; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

-----  
revision 1.1

date: 1995/03/25 01:08:45; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/body.1.1,v

working file: atlas/ged/xv/xvffq/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/25 01:08:15; author: tom; state: Exp;

change xvff to xvffq

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/body.2.1,v

working file: atlas/ged/xv/xvffq/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

cd Mar 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/03/25 01:08:17; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice.1.1,v  
Working file: atlas/ged/xv/xvffq/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/25 01:08:19; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xvffq/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/25 01:08:21; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/atlas2/BOM,v  
Working file: atlas2/BOM  
head: 201.2755  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 201.2700  
keyword substitution: kv  
total revisions: 4418; selected revisions: 11  
description:

-----  
revision 2.100  
date: 1995/03/25 01:28:26; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.

-----  
revision 2.99  
date: 1995/03/25 01:10:46; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvff

cd Mar 21-27 1995.log

change xvff to xvffq

-----  
revision 2.98

date: 1995/03/25 01:09:20; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

-----  
revision 2.97

date: 1995/03/24 23:15:24; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

-----  
revision 2.96

date: 1995/03/24 20:13:53; author: brianl; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.

-----  
revision 2.95

date: 1995/03/23 19:23:47; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

-----  
revision 2.94

date: 1995/03/23 00:50:09; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/doc

Release nb array documentation

Geert

-----  
revision 2.93

date: 1995/03/22 02:02:40; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged

add primitives section

-----  
revision 2.92

date: 1995/03/22 01:35:55; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged  
README

add primitives section

-----  
revision 2.91

date: 1995/03/22 00:50:00; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
padintvss.ly  
padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads

-----  
revision 2.90

date: 1995/03/21 20:54:09; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
sofa\_pins.ly

cd Mar 21-27 1995.log

Release of sofa\_pins.ly for baseplate model

```
=====
RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v
working file: atlas2/baseplate/chipparms.m4
head: 200.13
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.13
keyword substitution: kv
total revisions: 35;    selected revisions: 1
description:
-----
```

```
revision 1.13
date: 1995/03/23 02:46:43; author: ong; state: Exp; lines: +19 -7
Changes to place pads, scribe/seal ring
=====
```

```
RCS file: /p/cvsroot/atlas2/baseplate/padring.awk,v
working file: atlas2/baseplate/padring.awk
head: 200.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.11
keyword substitution: kv
total revisions: 24;    selected revisions: 1
description:
-----
```

```
revision 1.6
date: 1995/03/23 02:46:46; author: ong; state: Exp; lines: +76 -44
Changes to place pads, scribe/seal ring
=====
```

```
RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v
working file: atlas2/baseplate/sharedbaseplate.sgen.m4
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 42;    selected revisions: 2
description:
-----
```

```
revision 1.14
date: 1995/03/25 00:01:45; author: ong; state: Exp; lines: +2 -2
Added clockspars to the cutout list
-----
```

```
revision 1.13
date: 1995/03/23 02:46:48; author: ong; state: Exp; lines: +8 -4
Changes to place pads, scribe/seal ring
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/BOM,v
working file: atlas2/compass/BOM
head: 203.329
branch:
locks: strict
```



cd Mar 21-27 1995.log

access list:  
symbolic names:  
    b4\_rich: 203.329  
keyword substitution: kv  
total revisions: 532; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 2.5  
date: 1995/03/22 00:49:50; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
    padintvss.ly  
    padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads

-----  
revision 2.4  
date: 1995/03/21 20:53:58; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
    sofa\_pins.ly

Release of sofa\_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/BOM,v  
working file: atlas2/compass/layouts/BOM  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 248; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 4.2  
date: 1995/03/22 00:49:39; author: wampler; state: Exp; lines: +9 -1  
Release Target: atlas/compass/layouts  
    padintvss.ly  
    padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads

-----  
revision 4.1  
date: 1995/03/21 20:53:46; author: wampler; state: Exp; lines: +5 -1  
Release Target: atlas/compass/layouts  
    sofa\_pins.ly

Release of sofa\_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v  
working file: atlas2/compass/layouts/atlas.db  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 133; selected revisions: 10  
description:  
-----

cd Mar 21-27 1995.log

revision 1.33  
date: 1995/03/24 23:37:48; author: chip; state: Exp; lines: +36 -36  
periodic checkin of Fri Mar 24 15:37:44 PST 1995

-----  
revision 1.32  
date: 1995/03/24 23:17:18; author: chip; state: Exp; lines: +57 -57  
periodic checkin of Fri Mar 24 15:17:15 PST 1995

-----  
revision 1.31  
date: 1995/03/23 21:57:57; author: chip; state: Exp; lines: +46 -46  
periodic checkin of Thu Mar 23 13:57:54 PST 1995

-----  
revision 1.30  
date: 1995/03/23 17:35:35; author: chip; state: Exp; lines: +27 -27  
periodic checkin of Thu Mar 23 09:35:30 PST 1995

-----  
revision 1.29  
date: 1995/03/23 00:20:05; author: chip; state: Exp; lines: +58 -57  
periodic checkin of Wed Mar 22 16:20:02 PST 1995

-----  
revision 1.28  
date: 1995/03/22 23:40:36; author: chip; state: Exp; lines: +57 -57  
periodic checkin of Wed Mar 22 15:40:33 PST 1995

-----  
revision 1.27  
date: 1995/03/22 22:51:58; author: chip; state: Exp; lines: +16 -15  
periodic checkin of Wed Mar 22 14:51:55 PST 1995

-----  
revision 1.26  
date: 1995/03/22 22:05:24; author: chip; state: Exp; lines: +11 -10  
periodic checkin of Wed Mar 22 14:05:21 PST 1995

-----  
revision 1.25  
date: 1995/03/22 20:31:59; author: chip; state: Exp; lines: +68 -68  
periodic checkin of Wed Mar 22 12:31:55 PST 1995

-----  
revision 1.24  
date: 1995/03/21 22:50:29; author: chip; state: Exp; lines: +63 -59  
periodic checkin of Tue Mar 21 14:50:26 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cabsel.ly,v  
working file: atlas2/compass/layouts/cabsel.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 20; selected revisions: 2  
description:

-----  
revision 4.5  
date: 1995/03/23 21:31:23; author: chip; state: Exp; lines: +524 -58  
periodic checkin of Thu Mar 23 13:31:15 PST 1995

-----  
revision 4.4  
date: 1995/03/23 00:55:21; author: chip; state: Exp; lines: +94 -598  
periodic checkin of Wed Mar 22 16:55:15 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cainvc.ly,v  
working file: atlas2/compass/layouts/cainvc.ly

cd Mar 21-27 1995.log

head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 5  
description:

-----  
revision 4.7  
date: 1995/03/23 21:31:24; author: chip; state: Exp; lines: +46 -52  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.6  
date: 1995/03/23 00:55:22; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----

revision 4.5  
date: 1995/03/22 18:21:38; author: chip; state: Exp; lines: +113 -114  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
-----

revision 4.4  
date: 1995/03/21 23:47:23; author: chip; state: Exp; lines: +17 -18  
periodic checkin of Tue Mar 21 15:47:19 PST 1995  
-----

revision 4.3  
date: 1995/03/21 22:58:19; author: chip; state: Exp; lines: +119 -106  
periodic checkin of Tue Mar 21 14:58:16 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cardxdec.ly,v  
working file: atlas2/compass/layouts/cardxdec.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 5  
description:

-----  
revision 4.5  
date: 1995/03/23 21:31:26; author: chip; state: Exp; lines: +273 -232  
periodic checkin of Thu Mar 23 13:31:15 PST 1995  
-----

revision 4.4  
date: 1995/03/23 00:55:24; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----

revision 4.3  
date: 1995/03/22 18:21:39; author: chip; state: Exp; lines: +388 -390  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
-----

revision 4.2  
date: 1995/03/21 23:47:25; author: chip; state: Exp; lines: +165 -104  
periodic checkin of Tue Mar 21 15:47:19 PST 1995  
-----

revision 4.1  
date: 1995/03/21 22:46:50; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 14:46:47 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cardxdec2.ly,v

```

                                cd Mar 21-27 1995.log
working file: atlas2/compass/layouts/cardxdec2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 5
description:
-----
revision 4.5
date: 1995/03/23 21:31:28; author: chip; state: Exp; lines: +115 -72
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 4.4
date: 1995/03/23 00:55:26; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995
-----
revision 4.3
date: 1995/03/22 18:21:41; author: chip; state: Exp; lines: +259 -257
periodic checkin of wed Mar 22 10:21:34 PST 1995
-----
revision 4.2
date: 1995/03/21 23:47:26; author: chip; state: Exp; lines: +67 -4
periodic checkin of Tue Mar 21 15:47:19 PST 1995
-----
revision 4.1
date: 1995/03/21 22:46:52; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/carxd1024.ly,v
Working file: atlas2/compass/layouts/carxd1024.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/23 21:31:30; author: chip; state: Exp; lines: +1107 -8
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 4.1
date: 1995/03/23 00:55:28; author: chip; state: Exp;
periodic checkin of wed Mar 22 16:55:15 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/carxdec64.ly,v
Working file: atlas2/compass/layouts/carxdec64.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 3
description:
-----
revision 4.3

```

...

cd Mar 21-27 1995.log  
date: 1995/03/23 21:31:32; author: chip; state: Exp; lines: +88 -85  
periodic checkin of Thu Mar 23 13:31:15 PST 1995

-----  
revision 4.2  
date: 1995/03/23 00:55:30; author: chip; state: Exp; lines: +160 -161  
periodic checkin of Wed Mar 22 16:55:15 PST 1995

-----  
revision 4.1  
date: 1995/03/22 18:21:42; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/carxdec8.ly,v  
working file: atlas2/compass/layouts/carxdec8.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 4  
description:  
-----

revision 4.4  
date: 1995/03/23 21:31:34; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Thu Mar 23 13:31:15 PST 1995

-----  
revision 4.3  
date: 1995/03/22 18:21:44; author: chip; state: Exp; lines: +71 -12  
periodic checkin of Wed Mar 22 10:21:34 PST 1995

-----  
revision 4.2  
date: 1995/03/21 23:47:27; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Tue Mar 21 15:47:19 PST 1995

-----  
revision 4.1  
date: 1995/03/21 22:46:53; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 14:46:47 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxhreg.ly,v  
working file: atlas2/compass/layouts/caxhreg.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/24 23:35:40; author: chip; state: Exp;  
periodic checkin of Fri Mar 24 15:35:37 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxpre4.ly,v  
working file: atlas2/compass/layouts/caxpre4.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:

cd Mar 21-27 1995.log

keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/24 23:35:42; author: chip; state: Exp;  
periodic checkin of Fri Mar 24 15:35:37 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxpre4s.ly,v  
working file: atlas2/compass/layouts/caxpre4s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/24 23:37:50; author: chip; state: Exp; lines: +52 -65  
periodic checkin of Fri Mar 24 15:37:44 PST 1995  
=====

revision 4.1  
date: 1995/03/22 20:32:02; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 12:31:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtdrv.ly,v  
working file: atlas2/compass/layouts/cgtdrv.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/22 23:07:09; author: chip; state: Exp; lines: +3 -4  
periodic checkin of Wed Mar 22 15:07:06 PST 1995  
=====

revision 4.1  
date: 1995/03/21 18:13:16; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 10:13:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtdrv\_2x.ly,v  
working file: atlas2/compass/layouts/cgtdrv\_2x.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/21 18:10:45; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 10:10:41 PST 1995  
=====

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm1col.ly,v
working file: atlas2/compass/layouts/cgtm1col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;    selected revisions: 4
description:
-----
```

```
revision 4.4
date: 1995/03/22 23:07:11; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
```

```
revision 4.3
date: 1995/03/22 23:03:07; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Mar 22 15:03:03 PST 1995
-----
```

```
revision 4.2
date: 1995/03/22 22:49:56; author: chip; state: Exp; lines: +9 -15
periodic checkin of Wed Mar 22 14:49:53 PST 1995
-----
```

```
revision 4.1
date: 1995/03/22 21:37:15; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:37:12 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch.ly,v
working file: atlas2/compass/layouts/cgtmatch.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17;    selected revisions: 2
description:
-----
```

```
revision 4.6
date: 1995/03/22 23:07:13; author: chip; state: Exp; lines: +4 -5
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
```

```
revision 4.5
date: 1995/03/21 17:40:37; author: chip; state: Exp; lines: +61 -57
periodic checkin of Tue Mar 21 09:40:30 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch_2x2.ly,v
working file: atlas2/compass/layouts/cgtmatch_2x2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/21 18:10:49; author: chip; state: Exp;
```

cd Mar 21-27 1995.log  
periodic checkin of Tue Mar 21 10:10:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmpu.ly,v  
working file: atlas2/compass/layouts/cgtmpu.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 20; selected revisions: 1  
description:

---

revision 4.1  
date: 1995/03/22 23:07:14; author: chip; state: Exp;  
periodic checkin of wed Mar 22 15:07:06 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmsa.ly,v  
working file: atlas2/compass/layouts/cgtmsa.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 21; selected revisions: 1  
description:

---

revision 4.1  
date: 1995/03/22 23:07:16; author: chip; state: Exp;  
periodic checkin of wed Mar 22 15:07:06 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtsa.ly,v  
working file: atlas2/compass/layouts/cgtsa.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

---

revision 4.1  
date: 1995/03/22 23:07:18; author: chip; state: Exp;  
periodic checkin of wed Mar 22 15:07:06 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtsa\_2x.ly,v  
working file: atlas2/compass/layouts/cgtsa\_2x.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

---

revision 4.1



cd Mar 21-27 1995.log  
date: 1995/03/22 23:07:21; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 15:07:06 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtvapnff.ly,v  
working file: atlas2/compass/layouts/cgtvapnff.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 21; selected revisions: 1  
description:

---

revision 4.1  
date: 1995/03/21 18:13:20; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 10:13:13 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtvapnff\_2x1.ly,v  
working file: atlas2/compass/layouts/cgtvapnff\_2x1.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

---

revision 4.1  
date: 1995/03/21 18:10:52; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 10:10:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_fillet.ly,v  
working file: atlas2/compass/layouts/pad\_fillet.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/23 19:11:45; author: chip; state: Exp; lines: +7 -8  
periodic checkin of Thu Mar 23 11:11:42 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_guardring.ly,v  
working file: atlas2/compass/layouts/pad\_guardring.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 3  
description:

---

cd Mar 21-27 1995.log

revision 4.7

date: 1995/03/22 23:07:23; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.6

date: 1995/03/22 21:45:09; author: chip; state: Exp; lines: +13 -13  
periodic checkin of Wed Mar 22 13:45:06 PST 1995

revision 4.5

date: 1995/03/22 00:12:59; author: chip; state: Exp; lines: +11 -11  
periodic checkin of Tue Mar 21 16:12:55 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_hem.ly,v

working file: atlas2/compass/layouts/pad\_hem.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 18; selected revisions: 3

description:

-----  
revision 4.4

date: 1995/03/23 21:55:59; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 13:55:55 PST 1995

revision 4.3

date: 1995/03/23 17:35:38; author: chip; state: Exp; lines: +17 -11  
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 4.2

date: 1995/03/23 00:17:47; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Wed Mar 22 16:17:43 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_hem2.ly,v

working file: atlas2/compass/layouts/pad\_hem2.ly

head: 4.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 4.3

date: 1995/03/23 01:21:44; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 17:21:39 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_n\_static.ly,v

working file: atlas2/compass/layouts/pad\_n\_static.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 16; selected revisions: 1

description:

cd Mar 21-27 1995.log

-----  
revision 4.5  
date: 1995/03/24 01:18:04; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 17:18:00 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_n\_subcell.ly,v  
working file: atlas2/compass/layouts/pad\_n\_subcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:  
-----

revision 4.6  
date: 1995/03/24 01:08:09; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 17:08:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_p\_static.ly,v  
working file: atlas2/compass/layouts/pad\_p\_static.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:  
-----

revision 4.4  
date: 1995/03/24 01:18:05; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 17:18:00 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_p\_subcell.ly,v  
working file: atlas2/compass/layouts/pad\_p\_subcell.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:  
-----

revision 4.5  
date: 1995/03/24 01:08:12; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 17:08:05 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_pwrbusess.ly,v  
working file: atlas2/compass/layouts/pad\_pwrbusess.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 2  
-----

cd Mar 21-27 1995.log

description:

-----  
revision 4.2  
date: 1995/03/24 00:15:50; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Thu Mar 23 16:15:46 PST 1995  
-----

revision 4.1  
date: 1995/03/23 00:17:50; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padbase.ly,v  
working file: atlas2/compass/layouts/padbase.ly  
head: 4.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 5  
description:  
-----

revision 4.5  
date: 1995/03/24 19:34:25; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Fri Mar 24 11:34:21 PST 1995  
-----

revision 4.4  
date: 1995/03/24 01:08:13; author: chip; state: Exp; lines: +45 -7  
periodic checkin of Thu Mar 23 17:08:05 PST 1995  
-----

revision 4.3  
date: 1995/03/23 22:06:51; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Thu Mar 23 14:06:48 PST 1995  
-----

revision 4.2  
date: 1995/03/23 21:56:00; author: chip; state: Exp; lines: +15 -2  
periodic checkin of Thu Mar 23 13:55:55 PST 1995  
-----

revision 4.1  
date: 1995/03/23 00:17:53; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padbase\_signal.ly,v  
working file: atlas2/compass/layouts/padbase\_signal.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/23 00:17:56; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v  
working file: atlas2/compass/layouts/padhib.ly  
head: 200.0  
branch:

cd Mar 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 35; selected revisions: 4  
description:

-----  
revision 4.13  
date: 1995/03/24 21:53:38; author: chip; state: Exp; lines: +10 -8  
periodic checkin of Fri Mar 24 13:53:34 PST 1995

-----  
revision 4.12  
date: 1995/03/24 19:34:27; author: chip; state: Exp; lines: +31 -7  
periodic checkin of Fri Mar 24 11:34:21 PST 1995

-----  
revision 4.11  
date: 1995/03/23 19:29:22; author: chip; state: Exp; lines: +13 -16  
periodic checkin of Thu Mar 23 11:29:18 PST 1995

-----  
revision 4.10  
date: 1995/03/23 00:17:58; author: chip; state: Exp; lines: +3 -41  
periodic checkin of Wed Mar 22 16:17:43 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvdd.ly,v  
working file: atlas2/compass/layouts/padintvdd.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 17; selected revisions: 1  
description:

-----  
revision 4.6  
date: 1995/03/22 00:36:34; author: chip; state: Exp; lines: +6 -2  
periodic checkin of Tue Mar 21 16:36:26 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvss.ly,v  
working file: atlas2/compass/layouts/padintvss.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18; selected revisions: 1  
description:

-----  
revision 4.6  
date: 1995/03/22 00:39:09; author: chip; state: Exp; lines: +6 -2  
periodic checkin of Tue Mar 21 16:39:06 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3io.ly,v  
working file: atlas2/compass/layouts/padm3io.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:

cd Mar 21-27 1995.log

keyword substitution: kv  
total revisions: 21; selected revisions: 4  
description:

-----  
revision 4.8  
date: 1995/03/24 01:08:15; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 23 17:08:05 PST 1995  
-----

revision 4.7  
date: 1995/03/23 23:02:11; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 23 15:02:08 PST 1995  
-----

revision 4.6  
date: 1995/03/23 22:26:54; author: chip; state: Exp; lines: +2 -6  
periodic checkin of Thu Mar 23 14:26:51 PST 1995  
-----

revision 4.5  
date: 1995/03/21 19:46:21; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Tue Mar 21 11:46:19 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padttl.ly,v  
working file: atlas2/compass/layouts/padttl.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 24; selected revisions: 4  
description:

-----  
revision 4.12  
date: 1995/03/24 21:53:40; author: chip; state: Exp; lines: +39 -13  
periodic checkin of Fri Mar 24 13:53:34 PST 1995  
-----

revision 4.11  
date: 1995/03/23 19:29:25; author: chip; state: Exp; lines: +12 -15  
periodic checkin of Thu Mar 23 11:29:18 PST 1995  
-----

revision 4.10  
date: 1995/03/23 17:35:40; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Thu Mar 23 09:35:30 PST 1995  
-----

revision 4.9  
date: 1995/03/23 00:18:00; author: chip; state: Exp; lines: +3 -41  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v  
working file: atlas2/compass/layouts/padvdd.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 39; selected revisions: 5  
description:

-----  
revision 2.21  
date: 1995/03/24 19:34:28; author: chip; state: Exp; lines: +19 -10  
periodic checkin of Fri Mar 24 11:34:21 PST 1995

cd Mar 21-27 1995.log

```
-----
revision 2.20
date: 1995/03/23 21:56:02; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 2.19
date: 1995/03/23 19:09:09; author: chip; state: Exp; lines: +9 -11
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----
revision 2.18
date: 1995/03/23 17:35:41; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 09:35:30 PST 1995
-----
revision 2.17
date: 1995/03/23 00:18:02; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v
Working file: atlas2/compass/layouts/padvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 32; selected revisions: 3
description:
-----
```

```
revision 4.12
date: 1995/03/24 19:34:30; author: chip; state: Exp; lines: +26 -12
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 4.11
date: 1995/03/23 21:56:03; author: chip; state: Exp; lines: +17 -16
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 4.10
date: 1995/03/23 00:18:04; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring.ly,v
Working file: atlas2/compass/layouts/paguardring.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
-----
```

```
revision 4.2
date: 1995/03/23 22:01:40; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 4.1
date: 1995/03/22 23:05:06; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:05:03 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring_125u.ly,v
```

```

                                cd Mar 21-27 1995.log
working file: atlas2/compass/layouts/paguardring_125u.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/22 22:03:34; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 14:03:31 PST 1995
-----
revision 4.1
date: 1995/03/22 21:45:11; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring_161u.ly,v
working file: atlas2/compass/layouts/paguardring_161u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/22 21:45:13; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring_305u.ly,v
working file: atlas2/compass/layouts/paguardring_305u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/22 21:45:15; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal_crn.ly,v
working file: atlas2/compass/layouts/pascribeseal_crn.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18;      selected revisions: 4
description:
-----
revision 4.4

```



cd Mar 21-27 1995.log  
date: 1995/03/23 17:06:03; author: chip; state: Exp; lines: +0 -1  
periodic checkin of Thu Mar 23 09:05:59 PST 1995

-----  
revision 4.3  
date: 1995/03/22 23:03:09; author: chip; state: Exp; lines: +5 -8  
periodic checkin of Wed Mar 22 15:03:03 PST 1995

-----  
revision 4.2  
date: 1995/03/22 23:01:01; author: chip; state: Exp; lines: +22 -6  
periodic checkin of Wed Mar 22 15:00:57 PST 1995

-----  
revision 4.1  
date: 1995/03/22 22:49:58; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 14:49:53 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal\_horz.ly,v  
Working file: atlas2/compass/layouts/pascribeseal\_horz.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 3  
description:  
-----

revision 4.3  
date: 1995/03/22 23:46:51; author: chip; state: Exp; lines: +12 -12  
periodic checkin of Wed Mar 22 15:46:49 PST 1995

-----  
revision 4.2  
date: 1995/03/22 23:05:09; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 15:05:03 PST 1995

-----  
revision 4.1  
date: 1995/03/22 22:50:00; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 14:49:53 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal\_vert.ly,v  
Working file: atlas2/compass/layouts/pascribeseal\_vert.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 2  
description:  
-----

revision 4.2  
date: 1995/03/22 23:05:10; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 22 15:05:03 PST 1995

-----  
revision 4.1  
date: 1995/03/22 22:50:01; author: chip; state: Exp;  
periodic checkin of Wed Mar 22 14:49:53 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sofa\_pins.ly,v  
Working file: atlas2/compass/layouts/sofa\_pins.ly  
head: 200.0

cd Mar 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/21 20:52:07; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 12:52:04 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/test\_column.ly,v  
working file: atlas2/compass/layouts/test\_column.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/21 17:18:45; author: chip; state: Exp;  
periodic checkin of Tue Mar 21 09:18:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v  
working file: atlas2/compass/layouts/vlsi.log  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3575; selected revisions: 104  
description:  
-----

revision 1.563  
date: 1995/03/25 02:13:33; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 24 18:13:28 PST 1995  
-----

revision 1.562  
date: 1995/03/25 00:50:01; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 24 16:49:55 PST 1995  
-----

revision 1.561  
date: 1995/03/24 23:37:54; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 24 15:37:44 PST 1995  
-----

revision 1.560  
date: 1995/03/24 23:35:46; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Fri Mar 24 15:35:37 PST 1995  
-----

revision 1.559  
date: 1995/03/24 23:25:44; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 24 15:25:39 PST 1995  
-----

revision 1.558  
date: 1995/03/24 23:15:09; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 24 15:15:02 PST 1995

cd Mar 21-27 1995.log

```
-----
revision 1.557
date: 1995/03/24 22:45:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 14:45:46 PST 1995
-----
revision 1.556
date: 1995/03/24 21:53:44; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 24 13:53:34 PST 1995
-----
revision 1.555
date: 1995/03/24 19:36:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:36:22 PST 1995
-----
revision 1.554
date: 1995/03/24 19:34:33; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 1.553
date: 1995/03/24 19:01:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:01:08 PST 1995
-----
revision 1.552
date: 1995/03/24 18:48:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 10:47:55 PST 1995
-----
revision 1.551
date: 1995/03/24 01:18:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 23 17:18:00 PST 1995
-----
revision 1.550
date: 1995/03/24 01:16:15; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 17:16:11 PST 1995
-----
revision 1.549
date: 1995/03/24 01:08:19; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 17:08:05 PST 1995
-----
revision 1.548
date: 1995/03/24 00:55:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:55:38 PST 1995
-----
revision 1.547
date: 1995/03/24 00:53:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:53:49 PST 1995
-----
revision 1.546
date: 1995/03/24 00:22:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:22:03 PST 1995
-----
revision 1.545
date: 1995/03/24 00:15:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:15:46 PST 1995
-----
revision 1.544
date: 1995/03/24 00:07:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:07:42 PST 1995
-----
revision 1.543
date: 1995/03/23 23:24:18; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:24:12 PST 1995
-----
revision 1.542
date: 1995/03/23 23:09:59; author: chip; state: Exp; lines: +1 -0
```

```

cd Mar 21-27 1995.log
periodic checkin of Thu Mar 23 15:09:54 PST 1995
-----
revision 1.541
date: 1995/03/23 23:06:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 15:06:22 PST 1995
-----
revision 1.540
date: 1995/03/23 23:02:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:02:08 PST 1995
-----
revision 1.539
date: 1995/03/23 22:28:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 14:28:47 PST 1995
-----
revision 1.538
date: 1995/03/23 22:26:57; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:26:51 PST 1995
-----
revision 1.537
date: 1995/03/23 22:06:55; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:06:48 PST 1995
-----
revision 1.536
date: 1995/03/23 22:01:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 1.535
date: 1995/03/23 21:58:01; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Mar 23 13:57:54 PST 1995
-----
revision 1.534
date: 1995/03/23 21:56:06; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 1.533
date: 1995/03/23 21:34:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 13:33:59 PST 1995
-----
revision 1.532
date: 1995/03/23 21:31:39; author: chip; state: Exp; lines: +21 -0
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 1.531
date: 1995/03/23 19:29:29; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 23 11:29:18 PST 1995
-----
revision 1.530
date: 1995/03/23 19:16:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 11:16:37 PST 1995
-----
revision 1.529
date: 1995/03/23 19:11:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 11:11:42 PST 1995
-----
revision 1.528
date: 1995/03/23 19:09:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----
revision 1.527
date: 1995/03/23 17:58:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 09:58:29 PST 1995
-----
revision 1.526

```

cd Mar 21-27 1995.log  
date: 1995/03/23 17:35:45; author: chip; state: Exp; lines: +11 -0  
periodic checkin of Thu Mar 23 09:35:30 PST 1995  
-----  
revision 1.525  
date: 1995/03/23 17:06:08; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 23 09:05:59 PST 1995  
-----  
revision 1.524  
date: 1995/03/23 17:01:05; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 23 09:00:58 PST 1995  
-----  
revision 1.523  
date: 1995/03/23 01:29:06; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:28:58 PST 1995  
-----  
revision 1.522  
date: 1995/03/23 01:21:49; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 22 17:21:39 PST 1995  
-----  
revision 1.521  
date: 1995/03/23 01:19:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:19:32 PST 1995  
-----  
revision 1.520  
date: 1995/03/23 01:17:35; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:17:29 PST 1995  
-----  
revision 1.519  
date: 1995/03/23 01:15:29; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:15:23 PST 1995  
-----  
revision 1.518  
date: 1995/03/23 01:11:15; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:11:09 PST 1995  
-----  
revision 1.517  
date: 1995/03/23 01:01:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 17:00:57 PST 1995  
-----  
revision 1.516  
date: 1995/03/23 00:55:34; author: chip; state: Exp; lines: +21 -0  
periodic checkin of Wed Mar 22 16:55:15 PST 1995  
-----  
revision 1.515  
date: 1995/03/23 00:39:02; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:38:56 PST 1995  
-----  
revision 1.514  
date: 1995/03/23 00:33:38; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:33:32 PST 1995  
-----  
revision 1.513  
date: 1995/03/23 00:28:05; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:28:00 PST 1995  
-----  
revision 1.512  
date: 1995/03/23 00:20:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 16:20:02 PST 1995  
-----  
revision 1.511  
date: 1995/03/23 00:18:10; author: chip; state: Exp; lines: +19 -0  
periodic checkin of Wed Mar 22 16:17:43 PST 1995  
-----

cd Mar 21-27 1995.log

```

revision 1.510
date: 1995/03/23 00:06:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:06:15 PST 1995
-----
revision 1.509
date: 1995/03/22 23:58:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 15:58:17 PST 1995
-----
revision 1.508
date: 1995/03/22 23:56:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:56:21 PST 1995
-----
revision 1.507
date: 1995/03/22 23:46:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:46:49 PST 1995
-----
revision 1.506
date: 1995/03/22 23:44:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:44:42 PST 1995
-----
revision 1.505
date: 1995/03/22 23:42:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:42:27 PST 1995
-----
revision 1.504
date: 1995/03/22 23:40:39; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:40:33 PST 1995
-----
revision 1.503
date: 1995/03/22 23:07:27; author: chip; state: Exp; lines: +21 -0
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
revision 1.502
date: 1995/03/22 23:05:13; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Mar 22 15:05:03 PST 1995
-----
revision 1.501
date: 1995/03/22 23:03:13; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:03:03 PST 1995
-----
revision 1.500
date: 1995/03/22 23:01:04; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:00:57 PST 1995
-----
revision 1.499
date: 1995/03/22 22:53:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:53:49 PST 1995
-----
revision 1.498
date: 1995/03/22 22:52:02; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Mar 22 14:51:55 PST 1995
-----
revision 1.497
date: 1995/03/22 22:50:05; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 14:49:53 PST 1995
-----
revision 1.496
date: 1995/03/22 22:48:00; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 14:47:55 PST 1995
-----
revision 1.495
date: 1995/03/22 22:23:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:23:10 PST 1995

```

cd Mar 21-27 1995.log

-----  
revision 1.494  
date: 1995/03/22 22:12:14; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 22 14:12:09 PST 1995  
-----  
revision 1.493  
date: 1995/03/22 22:10:24; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 14:10:19 PST 1995  
-----  
revision 1.492  
date: 1995/03/22 22:05:27; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 22 14:05:21 PST 1995  
-----  
revision 1.491  
date: 1995/03/22 22:03:37; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 22 14:03:31 PST 1995  
-----  
revision 1.490  
date: 1995/03/22 21:52:52; author: chip; state: Exp; lines: +18 -0  
periodic checkin of Wed Mar 22 13:52:48 PST 1995  
-----  
revision 1.489  
date: 1995/03/22 21:51:02; author: chip; state: Exp; lines: +24 -0  
periodic checkin of Wed Mar 22 13:50:58 PST 1995  
-----  
revision 1.488  
date: 1995/03/22 21:49:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 13:49:06 PST 1995  
-----  
revision 1.487  
date: 1995/03/22 21:47:20; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 13:47:15 PST 1995  
-----  
revision 1.486  
date: 1995/03/22 21:45:18; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Wed Mar 22 13:45:06 PST 1995  
-----  
revision 1.485  
date: 1995/03/22 21:37:18; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 22 13:37:12 PST 1995  
-----  
revision 1.484  
date: 1995/03/22 20:32:07; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Wed Mar 22 12:31:55 PST 1995  
-----  
revision 1.483  
date: 1995/03/22 20:29:30; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 12:29:25 PST 1995  
-----  
revision 1.482  
date: 1995/03/22 19:08:33; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 11:08:29 PST 1995  
-----  
revision 1.481  
date: 1995/03/22 18:56:35; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 22 10:56:29 PST 1995  
-----  
revision 1.480  
date: 1995/03/22 18:21:48; author: chip; state: Exp; lines: +15 -0  
periodic checkin of Wed Mar 22 10:21:34 PST 1995  
-----  
revision 1.479  
date: 1995/03/22 18:13:32; author: chip; state: Exp; lines: +11 -0

```

cd Mar 21-27 1995.log
periodic checkin of Wed Mar 22 10:13:26 PST 1995
-----
revision 1.478
date: 1995/03/22 18:11:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 22 10:10:55 PST 1995
-----
revision 1.477
date: 1995/03/22 17:45:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 09:45:04 PST 1995
-----
revision 1.476
date: 1995/03/22 00:36:42; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 21 16:36:26 PST 1995
-----
revision 1.475
date: 1995/03/22 00:24:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:24:53 PST 1995
-----
revision 1.474
date: 1995/03/22 00:15:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:14:59 PST 1995
-----
revision 1.473
date: 1995/03/22 00:13:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 16:12:55 PST 1995
-----
revision 1.472
date: 1995/03/21 23:47:30; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Mar 21 15:47:19 PST 1995
-----
revision 1.471
date: 1995/03/21 23:04:47; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 15:04:42 PST 1995
-----
revision 1.470
date: 1995/03/21 22:58:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:58:16 PST 1995
-----
revision 1.469
date: 1995/03/21 22:50:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:50:26 PST 1995
-----
revision 1.468
date: 1995/03/21 22:48:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 14:48:37 PST 1995
-----
revision 1.467
date: 1995/03/21 22:46:56; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 21 14:46:47 PST 1995
-----
revision 1.466
date: 1995/03/21 20:52:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 12:52:04 PST 1995
-----
revision 1.465
date: 1995/03/21 19:46:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 11:46:19 PST 1995
-----
revision 1.464
date: 1995/03/21 19:42:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 11:42:19 PST 1995
-----
revision 1.463

```



cd Mar 21-27 1995.log  
date: 1995/03/21 18:13:24; author: chip; state: Exp; lines: +9 -0  
periodic checkin of Tue Mar 21 10:13:13 PST 1995

-----  
revision 1.462  
date: 1995/03/21 18:10:56; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Tue Mar 21 10:10:41 PST 1995

-----  
revision 1.461  
date: 1995/03/21 17:40:42; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Tue Mar 21 09:40:30 PST 1995

-----  
revision 1.460  
date: 1995/03/21 17:18:48; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 21 09:18:42 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/dcell/Makefile,v  
working file: atlas2/dcell/Makefile  
head: 200.4  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.4  
keyword substitution: kv  
total revisions: 14; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/25 00:00:18; author: ong; state: Exp; lines: +2 -2  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas2/dcell/Attic/cache.dcell,v  
working file: atlas2/dcell/cache.dcell  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:  
-----

revision 1.5  
date: 1995/03/25 00:00:21; author: ong; state: Exp; lines: +5 -7  
New dcells for floorplan. They are estimates only.  
=====

RCS file: /p/cvsroot/atlas2/dcell/Attic/custom-list,v  
working file: atlas2/dcell/custom-list  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 17; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/25 00:00:23; author: ong; state: Exp; lines: +2 -2  
New dcells for floorplan. They are estimates only.

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/dcell/Attic/iobyte.dcell,v
working file: atlas2/dcell/iobyte.dcell
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:26; author: ong; state: Exp;
New dcells for Floorplan. They are estimates only.
=====
```

```
RCS file: /p/cvsroot/atlas2/dcell/Attic/regfile.dcell,v
working file: atlas2/dcell/regfile.dcell
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:28; author: ong; state: Exp;
New dcells for Floorplan. They are estimates only.
=====
```

```
RCS file: /p/cvsroot/atlas2/dcell/Attic/tag.dcell,v
working file: atlas2/dcell/tag.dcell
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:31; author: ong; state: Exp;
New dcells for floorplan. They are estimates only.
=====
```

```
RCS file: /p/cvsroot/atlas2/dcell/Attic/tlb.dcell,v
working file: atlas2/dcell/tlb.dcell
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:34; author: ong; state: Exp;
```

cd Mar 21-27 1995.log  
New dcells for floorplan. They are estimates only.

---

RCS file: /p/cvsroot/atlas2/doc/BOM,v  
working file: atlas2/doc/BOM  
head: 208.0  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 203.0  
keyword substitution: kv  
total revisions: 101; selected revisions: 2  
description:  
releasebom adding BOM

---

revision 30.0  
date: 1995/03/23 00:49:56; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/doc

Release nb array documentation

Geert

---

revision 29.3  
date: 1995/03/23 00:49:48; author: geert; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/doc/nbbuf.ht,v  
working file: atlas2/doc/nbbuf.ht  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 29.1  
date: 1995/03/23 00:42:24; author: geert; state: Exp;  
Nb buffer specifications

Geert

---

RCS file: /p/cvsroot/atlas2/gards/BOM,v  
working file: atlas2/gards/BOM  
head: 235.0  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 235.0  
keyword substitution: kv  
total revisions: 168; selected revisions: 2  
description:

---

revision 2.5  
date: 1995/03/25 01:28:17; author: wampler; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

cd Mar 21-27 1995.log

Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.

-----  
revision 2.4  
date: 1995/03/23 19:23:37; author: geert; state: Exp; lines: +2 -2  
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

=====

RCS file: /p/cvsroot/atlas2/gards/Makefile,v  
working file: atlas2/gards/Makefile  
head: 200.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.5  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/22 00:54:58; author: wampler; state: Exp; lines: +2 -2  
Makefile:  
    Removed ged/sc/sc-list & exlast/list from SOFA\_LIST definition  
Makefile.chipbase  
    Commented out sofa\_captiles copy into gards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas2/gards/Attic/Makefile.chipbase,v  
working file: atlas2/gards/Makefile.chipbase  
head: 200.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/22 00:55:00; author: wampler; state: Exp; lines: +6 -6  
Makefile:  
    Removed ged/sc/sc-list & exlast/list from SOFA\_LIST definition  
Makefile.chipbase  
    Commented out sofa\_captiles copy into gards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/BOM,v  
working file: atlas2/gards/basegen/BOM  
head: 228.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 228.0  
keyword substitution: kv  
total revisions: 109; selected revisions: 4  
description:

cd Mar 21-27 1995.log

releasebom adding BOM

-----  
revision 7.0

date: 1995/03/25 01:28:07; author: wampler; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in  
sofacd1.c.template.

-----  
revision 6.1

date: 1995/03/25 01:28:01; author: wampler; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 6.0

date: 1995/03/23 19:23:26; author: geert; state: Exp; lines: +1 -1  
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

-----  
revision 5.1

date: 1995/03/23 19:23:18; author: geert; state: Exp; lines: +4 -4  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/basecompile,v

Working file: atlas2/gards/basegen/basecompile

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/22 00:52:28; author: wampler; state: Exp; lines: +2 -2

basecompile: Fixed global pin handling

flat.sel: added power pads etc.

sofa\_model.ly.template: updated locations of 3 global pins vss, vdd, phi\_am

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/flat.sel,v

Working file: atlas2/gards/basegen/flat.sel

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/22 00:52:30; author: wampler; state: Exp; lines: +9 -4

basecompile: fixed global pin handling

flat.sel: added power pads etc.

sofa\_model.ly.template: updated locations of 3 global pins vss, vdd, phi\_am

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa\_model.ly.template,v

```

                                cd Mar 21-27 1995.log
working file: atlas2/gards/basegen/sofa_model.ly.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/22 00:52:32; author: wampler; state: Exp; lines: +4 -4
basecompile: fixed global pin handling
flat.sel: added power pads etc.
sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofacd1.c.template,v
working file: atlas2/gards/basegen/sofacd1.c.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;      selected revisions: 1
description:
-----
revision 1.4
date: 1995/03/25 01:27:18; author: wampler; state: Exp; lines: +24 -1
Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.
=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v
working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 207.57
keyword substitution: kv
total revisions: 1847; selected revisions: 7
description:
-----
revision 6.4
date: 1995/03/25 01:10:36; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvff
change xvff to xvffq
-----
revision 6.3
date: 1995/03/25 01:09:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvffq
change xvff to xvffq
-----
revision 6.2
date: 1995/03/24 23:15:15; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/devices
add rdiff, rdiffs, rnw, and spnp

```

cd Mar 21-27 1995.log

-----  
revision 6.1

date: 1995/03/24 20:13:42; author: brianl; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.

-----  
revision 6.0

date: 1995/03/22 02:02:28; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged

add primitives section

-----  
revision 5.6

date: 1995/03/22 02:02:21; author: tom; state: Exp; lines: +2 -1  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 5.5

date: 1995/03/22 01:35:46; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged  
README

add primitives section

=====

RCS file: /p/cvsroot/atlas2/ged/Attic/README,v

Working file: atlas2/ged/README

head: 200.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 21; selected revisions: 1

description:

-----  
revision 1.4

date: 1995/03/22 01:35:31; author: tom; state: Exp; lines: +3 -1

add primitives section

=====

RCS file: /p/cvsroot/atlas2/ged/devices/BOM,v

Working file: atlas2/ged/devices/BOM

head: 211.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 211.0

keyword substitution: kv

total revisions: 30; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/03/24 23:15:04; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

-----  
revision 2.1

date: 1995/03/24 23:14:54; author: tom; state: Exp; lines: +5 -1

```
cd Mar 21-27 1995.log
releasebom: File needs to be up-to-date to use commit -r
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/BOM,v
working file: atlas2/ged/devices/rdiff/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 201.0
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
releasebom adding BOM
```

```
-----
revision 2.0
date: 1995/03/24 23:13:37; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices
```

```
add rdiff, rdiffs, rnw, and spnp
```

```
-----
revision 1.1
date: 1995/03/24 23:13:29; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/body.1.1,v
working file: atlas2/ged/devices/rdiff/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
```

```
-----
revision 1.1
date: 1995/03/24 23:07:41; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/chips_prt,v
working file: atlas2/ged/devices/rdiff/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
```

```
-----
revision 1.1
date: 1995/03/24 23:07:44; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/part.1.1,v
working file: atlas2/ged/devices/rdiff/part.1.1
```



cd Mar 21-27 1995.log

```
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:07:47; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/part_cn.1.1,v
working file: atlas2/ged/devices/rdiff/part_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:07:50; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/subckt,v
working file: atlas2/ged/devices/rdiff/subckt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:07:53; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/BOM,v
working file: atlas2/ged/devices/rdiffs/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 201.0
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
```

```
cd Mar 21-27 1995.log
date: 1995/03/24 23:13:55; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices
```

```
add rdiff, rdiffs, rnw, and spnp
```

```
-----
revision 1.1
date: 1995/03/24 23:13:48; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/body.1.1,v
Working file: atlas2/ged/devices/rdiffs/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/24 23:08:06; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/chips_prt,v
Working file: atlas2/ged/devices/rdiffs/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/24 23:08:09; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/part.1.1,v
Working file: atlas2/ged/devices/rdiffs/part.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/24 23:08:12; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/part_cn.1.1,v
Working file: atlas2/ged/devices/rdiffs/part_cn.1.1
```

cd Mar 21-27 1995.log

```
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:08:15; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/subckt,v
working file: atlas2/ged/devices/rdiffs/subckt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:08:19; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rnw/BOM,v
working file: atlas2/ged/devices/rnw/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 201.0
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/24 23:14:15; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices
```

```
add rdiff, rdiffs, rnw, and spnp
-----
revision 1.1
date: 1995/03/24 23:14:07; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/rnw/body.1.1,v
working file: atlas2/ged/devices/rnw/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
```

cd Mar 21-27 1995.log

b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:25; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/chips\_prt,v  
working file: atlas2/ged/devices/rnw/chips\_prt  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:28; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/part.1.1,v  
working file: atlas2/ged/devices/rnw/part.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:31; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/part\_cn.1.1,v  
working file: atlas2/ged/devices/rnw/part\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:33; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/subckt,v  
working file: atlas2/ged/devices/rnw/subckt

cd Mar 21-27 1995.log

```
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/24 23:08:36; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/spnp/BOM,v
working file: atlas2/ged/devices/spnp/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 201.0
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/24 23:14:37; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices
```

```
add rdiff, rdiffs, rnw, and spnp
-----
```

```
revision 1.1
date: 1995/03/24 23:14:29; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/spnp/body.1.1,v
working file: atlas2/ged/devices/spnp/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/24 23:08:40; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/devices/spnp/chips_prt,v
working file: atlas2/ged/devices/spnp/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
```

cd Mar 21-27 1995.log

b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:42; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/part.1.1,v  
working file: atlas2/ged/devices/spnp/part.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:45; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/part\_cn.1.1,v  
working file: atlas2/ged/devices/spnp/part\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:48; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/subckt,v  
working file: atlas2/ged/devices/spnp/subckt  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/24 23:08:50; author: tom; state: Exp;  
add rdiff, rdiffs, rnw, and spnp  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/BOM,v  
working file: atlas2/ged/primitives/BOM

cd Mar 21-27 1995.log

```
head: 227.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 227.0
keyword substitution: kv
total revisions: 68;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/22 01:53:53; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

add primitives section

```
-----
revision 1.1
date: 1995/03/22 01:53:45; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/invc/BOM,v
working file: atlas2/ged/primitives/invc/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 202.0
keyword substitution: kv
total revisions: 7;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/22 01:51:42; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

add primitives section

```
-----
revision 1.1
date: 1995/03/22 01:51:33; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/invc/body.1.1,v
working file: atlas2/ged/primitives/invc/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:33:41; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
cd Mar 21-27 1995.log
RCS file: /p/cvsroot/atlas2/ged/primitives/invc/spice.1.1,v
working file: atlas2/ged/primitives/invc/spice.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
=====
```

```
revision 1.1
date: 1995/03/22 01:33:42; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/invc/spice_cn.1.1,v
working file: atlas2/ged/primitives/invc/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
=====
```

```
revision 1.1
date: 1995/03/22 01:33:44; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/BOM,v
working file: atlas2/ged/primitives/nand2c/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 202.0
keyword substitution: kv
total revisions: 7;    selected revisions: 2
description:
releasebom adding BOM
=====
```

```
revision 2.0
date: 1995/03/22 01:52:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

add primitives section

```
=====
revision 1.1
date: 1995/03/22 01:51:59; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/body.1.1,v
working file: atlas2/ged/primitives/nand2c/body.1.1
head: 200.0
branch:
locks: strict
```



cd Mar 21-27 1995.log

access list:  
symbolic names:  
    b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/22 01:33:47; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/spice.1.1,v  
working file: atlas2/ged/primitives/nand2c/spice.1.1  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/22 01:33:49; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/spice\_cn.1.1,v  
working file: atlas2/ged/primitives/nand2c/spice\_cn.1.1  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/22 01:33:50; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/BOM,v  
working file: atlas2/ged/primitives/nand3c/BOM  
head: 202.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 202.0  
keyword substitution: kv  
total revisions: 7;    selected revisions: 2  
description:  
releasebom adding BOM  
-----  
revision 2.0  
date: 1995/03/22 01:52:32; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged

cd Mar 21-27 1995.log

add primitives section

-----  
revision 1.1  
date: 1995/03/22 01:52:21; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/body.1.1,v  
working file: atlas2/ged/primitives/nand3c/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:33:53; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/spice.1.1,v  
working file: atlas2/ged/primitives/nand3c/spice.1.1  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:33:55; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/spice\_cn.1.1,v  
working file: atlas2/ged/primitives/nand3c/spice\_cn.1.1  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:33:56; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/BOM,v  
working file: atlas2/ged/primitives/nand4c/BOM  
head: 202.0  
branch:  
locks: strict

cd Mar 21-27 1995.log

```
access list:
symbolic names:
    b4_rich: 202.0
keyword substitution: kv
total revisions: 7;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/22 01:52:52; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

add primitives section

```
-----
revision 1.1
date: 1995/03/22 01:52:44; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/body.1.1,v
working file: atlas2/ged/primitives/nand4c/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:34:00; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/spice.1.1,v
working file: atlas2/ged/primitives/nand4c/spice.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:34:01; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/spice_cn.1.1,v
working file: atlas2/ged/primitives/nand4c/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
```

cd Mar 21-27 1995.log

description:

-----  
revision 1.1  
date: 1995/03/22 01:34:03; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/BOM,v  
working file: atlas2/ged/primitives/nor2c/BOM  
head: 202.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 202.0  
keyword substitution: kv  
total revisions: 7;    selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/22 01:53:13; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged

add primitives section  
-----

revision 1.1  
date: 1995/03/22 01:53:04; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/body.1.1,v  
working file: atlas2/ged/primitives/nor2c/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.0  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:34:05; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/spice.1.1,v  
working file: atlas2/ged/primitives/nor2c/spice.1.1  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/22 01:34:07; author: tom; state: Exp;  
importing simple cmos structures from proteus

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/spice_cn.1.1,v
working file: atlas2/ged/primitives/nor2c/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 200.1
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:34:08; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/BOM,v
working file: atlas2/ged/primitives/nor3c/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 202.0
keyword substitution: kv
total revisions: 7;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/22 01:53:32; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

add primitives section

```
-----
revision 1.1
date: 1995/03/22 01:53:24; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/body.1.1,v
working file: atlas2/ged/primitives/nor3c/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 200.0
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/22 01:34:12; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/spice.1.1,v
working file: atlas2/ged/primitives/nor3c/spice.1.1
head: 200.1
```

cd Mar 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:13; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/spice\_cn.1.1,v  
working file: atlas2/ged/primitives/nor3c/spice\_cn.1.1  
head: 200.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.1  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/22 01:34:15; author: tom; state: Exp;  
importing simple cmos structures from proteus  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v  
working file: atlas2/ged/xv/BOM  
head: 212.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 212.0  
keyword substitution: kv  
total revisions: 348;    selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 14.2  
date: 1995/03/25 01:10:23; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvff

change xvff to xvffq  
-----

revision 14.1  
date: 1995/03/25 01:09:02; author: tom; state: Exp; lines: +5 -1  
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq  
-----

revision 14.0  
date: 1995/03/24 20:13:29; author: brianl; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in  
schematics for xv17andffq, xv17andlbn and xv17orlan.  
-----

cd Mar 21-27 1995.log

revision 13.1

date: 1995/03/24 20:13:22; author: brianl; state: Exp; lines: +4 -4  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/BOM,v

working file: atlas2/ged/xv/xv17andffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 19; selected revisions: 2

description:

releasebom adding BOM

-----

revision 3.0

date: 1995/03/24 20:08:47; author: brianl; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Changed xvd1a and xvd1b references to xvd1aq and xvd1bq, respectively, in  
schematics for xv17andffq, xv17and1bn and xv17or1an.

-----

revision 2.1

date: 1995/03/24 20:08:38; author: brianl; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv17andffq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

-----

revision 1.2

date: 1995/03/24 19:45:39; author: brianl; state: Exp; lines: +2 -2

Changed xvd1a and xvd1b references to xvd1aq and xvd1bq, respectively, in  
schematics for xv17andffq, xv17and1bn and xv17or1an.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice\_cn.1.1,v

working file: atlas2/ged/xv/xv17andffq/spice\_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

-----

revision 1.2

date: 1995/03/24 19:58:16; author: brianl; state: Exp; lines: +2 -2

Changed xvd1a and xvd1b references to xvd1aq and xvd1bq, respectively, in  
spice\_cn.1.1 files for xv17andffq, xv17and1bn and xv17or1an.

=====

```

                                cd Mar 21-27 1995.log
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv17andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 3.0
date: 1995/03/24 20:09:06; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.
-----
revision 2.1
date: 1995/03/24 20:09:00; author: brianl; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv17andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/24 19:45:44; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv17andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/24 19:58:20; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/BOM,v
working file: atlas2/ged/xv/xv17orlan/BOM
head: 201.0
branch:
locks: strict

```



cd Mar 21-27 1995.log

access list:

symbolic names:

keyword substitution: kv

total revisions: 23; selected revisions: 2

description:

releasebom adding BOM

-----

revision 3.0

date: 1995/03/24 20:09:39; author: brianl; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in schematics for xv17andffq, xv17andlbn and xv17orlan.

-----

revision 2.1

date: 1995/03/24 20:09:32; author: brianl; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv17orlan/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

-----

revision 1.2

date: 1995/03/24 19:45:47; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in schematics for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice\_cn.1.1,v

working file: atlas2/ged/xv/xv17orlan/spice\_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

-----

revision 1.2

date: 1995/03/24 19:58:22; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in spice\_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/BOM,v

working file: atlas2/ged/xv/xvffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 2

description:

cd Mar 21-27 1995.log

releasebom adding BOM

-----  
revision 2.0  
date: 1995/03/25 01:08:53; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

-----  
revision 1.1  
date: 1995/03/25 01:08:45; author: tom; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/body.1.1,v  
working file: atlas2/ged/xv/xvffq/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/25 01:08:15; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/body.2.1,v  
working file: atlas2/ged/xv/xvffq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/25 01:08:17; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xvffq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/25 01:08:19; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xvffq/spice\_cn.1.1

cd Mar 21-27 1995.log

head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/25 01:08:21; author: tom; state: Exp;  
change xvff to xvffq  
=====

RCS file: /p/cvsroot/c\_tests/plumhall/unixdst/defs.h,v  
working file: c\_tests/plumhall/unixdst/defs.h  
head: 1.2

branch:  
locks: strict  
access list:  
symbolic names:  
    plumhall: 1.1.1.2  
    plumhall5\_0: 1.1.1.1  
    PlumHall: 1.1.1  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/23 17:42:50; author: claseman; state: Exp; lines: +67 -51  
include stddef.h ref to pr 2124  
=====

RCS file: /p/cvsroot/calliope/BOM,v  
Working file: calliope/BOM  
head: 4.170

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.170  
keyword substitution: kv  
total revisions: 460; selected revisions: 2  
description:  
Bill of materials.

-----  
revision 4.156  
date: 1995/03/24 18:04:04; author: bobm; state: Exp; lines: +2 -2  
Release Target: calliope/doc  
    Makefile

Added a file.

-----  
revision 4.155  
date: 1995/03/24 17:49:49; author: bobm; state: Exp; lines: +2 -2  
Release Target: calliope/doc  
    Makefile  
    print.doc  
    calliope-microarch.book  
    front.mif  
    calliope-microarchTOC.mif  
    intro.mif

cd Mar 21-27 1995.log

memory.mif  
function.mif  
cerberus.mif

Version 1.0 of the Calliope Microarchitecture document.  
Right now it includes mostly old information reformatted.  
There are some Cerberus updates. Any help on updating  
the rest of the information would be appreciated.

=====

RCS file: /p/cvsroot/calliope/doc/BOM,v  
working file: calliope/doc/BOM  
head: 10.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 10.12  
keyword substitution: kv  
total revisions: 33;    selected revisions: 2  
description:  
releasebom adding BOM

-----

revision 10.4  
date: 1995/03/24 18:03:51; author: bobm; state: Exp; lines: +2 -2  
Release Target: calliope/doc  
    Makefile

Added a file.

-----

revision 10.3  
date: 1995/03/24 17:49:35; author: bobm; state: Exp; lines: +34 -2  
Release Target: calliope/doc  
    Makefile  
    print.doc  
    calliope-microarch.book  
    front.mif  
    calliope-microarchTOC.mif  
    intro.mif  
    memory.mif  
    function.mif  
    cerberus.mif

Version 1.0 of the Calliope Microarchitecture document.  
Right now it includes mostly old information reformatted.  
There are some Cerberus updates. Any help on updating  
the rest of the information would be appreciated.

=====

RCS file: /p/cvsroot/calliope/doc/Makefile,v  
working file: calliope/doc/Makefile  
head: 10.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 10.7  
keyword substitution: kv  
total revisions: 7;    selected revisions: 3  
description:

cd Mar 21-27 1995.log

-----  
revision 10.3  
date: 1995/03/24 18:13:23; author: bobm; state: Exp; lines: +3 -2  
Added a change file for upcoming versions.  
-----

revision 10.2  
date: 1995/03/24 18:03:14; author: bobm; state: Exp; lines: +2 -1  
Forgot to add a file.  
-----

revision 10.1  
date: 1995/03/21 21:08:38; author: bobm; state: Exp;  
Built as a book.  
=====

RCS file: /p/cvsroot/calliope/doc/calliope-microarch.book,v  
working file: calliope/doc/calliope-microarch.book  
head: 10.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 10.7  
keyword substitution: kv  
total revisions: 7; selected revisions: 3  
description:  
-----

revision 10.4  
date: 1995/03/24 18:13:25; author: bobm; state: Exp; lines: +7 -8  
Added a change file for upcoming versions.  
-----

revision 10.3  
date: 1995/03/24 01:51:22; author: bobm; state: Exp; lines: +8 -8  
Version 1.0 of the Calliope MicroArchitecture document. It basically  
includes the calliope.doc and addr\_format.mif information. New updates  
will be made next.  
-----

revision 10.2  
date: 1995/03/21 21:08:40; author: bobm; state: Exp; lines: +18 -15  
Built as a book.  
=====

RCS file: /p/cvsroot/calliope/doc/calliope-microarchTOC.mif,v  
working file: calliope/doc/calliope-microarchTOC.mif  
head: 10.4  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:  
-----

revision 10.2  
date: 1995/03/24 01:51:30; author: bobm; state: Exp; lines: +289 -5803  
Version 1.0 of the Calliope MicroArchitecture document. It basically  
includes the calliope.doc and addr\_format.mif information. New updates  
will be made next.  
-----

revision 10.1  
date: 1995/03/21 21:08:42; author: bobm; state: Exp;  
Built as a book.  
=====

cd Mar 21-27 1995.log  
RCS file: /p/cvsroot/calliope/doc/cerberus.mif,v  
working file: calliope/doc/cerberus.mif  
head: 2.10  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 3  
description:

-----  
revision 2.9  
date: 1995/03/24 17:16:15; author: bobm; state: Exp; lines: +45 -36  
The rest of the version 1.0 files.

-----  
revision 2.8  
date: 1995/03/22 18:34:54; author: bobm; state: Exp; lines: +44 -24  
Capacitor count added to octlet 12.

-----  
revision 2.7  
date: 1995/03/21 21:09:19; author: bobm; state: Exp; lines: +44 -35  
Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/changes.mif,v  
working file: calliope/doc/changes.mif  
head: 10.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 10.1  
date: 1995/03/24 18:13:28; author: bobm; state: Exp;  
Added a change file for upcoming versions.

=====

RCS file: /p/cvsroot/calliope/doc/clock.mif,v  
working file: calliope/doc/clock.mif  
head: 10.5  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 2  
description:

-----  
revision 10.3  
date: 1995/03/24 17:16:30; author: bobm; state: Exp; lines: +42 -42  
The rest of the version 1.0 files.

-----  
revision 10.2  
date: 1995/03/21 21:09:08; author: bobm; state: Exp; lines: +50 -88  
Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/front.mif,v  
working file: calliope/doc/front.mif  
head: 10.7

cd Mar 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 3  
description:

-----  
revision 10.4  
date: 1995/03/24 01:51:26; author: bobm; state: Exp; lines: +26 -26  
Version 1.0 of the Calliope MicroArchitecture document. It basically  
includes the calliope.doc and addr\_format.mif information. New updates  
will be made next.

-----  
revision 10.3  
date: 1995/03/22 18:35:14; author: bobm; state: Exp; lines: +26 -26  
Capacitor count added to octlet 12.

-----  
revision 10.2  
date: 1995/03/21 21:08:45; author: bobm; state: Exp; lines: +26 -26  
Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/Attic/function.mif,v  
working file: calliope/doc/function.mif  
head: 10.4

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 3  
description:

-----  
revision 10.4  
date: 1995/03/24 17:16:44; author: bobm; state: Exp; lines: +51821 -767  
The rest of the version 1.0 files.

-----  
revision 10.3  
date: 1995/03/21 21:08:56; author: bobm; state: Exp; lines: +46 -119  
Built as a book.

-----  
revision 10.2  
date: 1995/03/21 20:22:29; author: bobm; state: Exp; lines: +14759 -7055  
Formatted the rest of the stolen stuff from calliope.doc.

=====

RCS file: /p/cvsroot/calliope/doc/intro.mif,v  
working file: calliope/doc/intro.mif  
head: 10.5

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 2  
description:

-----  
revision 10.3  
date: 1995/03/24 01:51:34; author: bobm; state: Exp; lines: +20 -20  
Version 1.0 of the Calliope MicroArchitecture document. It basically  
includes the calliope.doc and addr\_format.mif information. New updates  
will be made next.

cd Mar 21-27 1995.log

-----  
revision 10.2  
date: 1995/03/21 21:08:49; author: bobm; state: Exp; lines: +20 -20  
Built as a book.  
=====

RCS file: /p/cvsroot/calliope/doc/memory.mif,v  
working file: calliope/doc/memory.mif  
head: 10.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 10.1  
date: 1995/03/24 01:51:43; author: bobm; state: Exp;  
version 1.0 of the Calliope MicroArchitecture document. It basically  
includes the calliope.doc and addr\_format.mif information. New updates  
will be made next.  
=====

RCS file: /p/cvsroot/calliope/doc/print.doc,v  
working file: calliope/doc/print.doc  
head: 10.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 10.1  
date: 1995/03/21 21:09:35; author: bobm; state: Exp;  
Built as a book.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/Makefile,v  
working file: calliope/verify/standalone/eq/Makefile  
head: 1.26  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 26; selected revisions: 1  
description:  
-----

revision 1.26  
date: 1995/03/24 20:49:34; author: brian; state: Exp; lines: +5 -5  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/NOTES,v  
working file: calliope/verify/standalone/eq/NOTES  
head: 2.5  
branch:  
locks: strict  
access list:  
symbolic names:



cd Mar 21-27 1995.log

keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 2.5  
date: 1995/03/24 20:49:36; author: brian; state: Exp; lines: +7 -0  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/citones.mem,v  
working file: calliope/verify/standalone/eq/citones.mem  
head: 3.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 3.3  
date: 1995/03/24 20:49:43; author: brian; state: Exp; lines: +184983 -183702  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/diffimp.ref,v  
working file: calliope/verify/standalone/eq/diffimp.ref  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/03/25 00:23:25; author: brian; state: Exp; lines: +1 -1  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/eq\_drive.v,v  
working file: calliope/verify/standalone/eq/eq\_drive.v  
head: 1.18  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18; selected revisions: 1  
description:

-----  
revision 1.18  
date: 1995/03/25 00:23:27; author: brian; state: Exp; lines: +1 -1  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/imp64.ref,v  
working file: calliope/verify/standalone/eq/imp64.ref  
head: 2.2  
branch:  
locks: strict  
access list:

cd Mar 21-27 1995.log

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 2.2

date: 1995/03/25 00:23:30; author: brian; state: Exp; lines: +1 -1

Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/impulse.mem,v

working file: calliope/verify/standalone/eq/impulse.mem

head: 1.6

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 1.6

date: 1995/03/25 00:23:32; author: brian; state: Exp; lines: +49 -0

Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/impulse.ref,v

working file: calliope/verify/standalone/eq/impulse.ref

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 2.2

date: 1995/03/25 00:23:35; author: brian; state: Exp; lines: +24 -0

Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/maxcoef.ref,v

working file: calliope/verify/standalone/eq/maxcoef.ref

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 2.2

date: 1995/03/25 00:23:37; author: brian; state: Exp; lines: +1 -1

Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/mkref,v

working file: calliope/verify/standalone/eq/mkref

head: 2.4

branch:

locks: strict

cd Mar 21-27 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 2.4  
date: 1995/03/25 00:23:40; author: brian; state: Exp; lines: +6 -6  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/negimp.ref,v  
working file: calliope/verify/standalone/eq/negimp.ref  
head: 2.2  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 2.2  
date: 1995/03/25 00:23:42; author: brian; state: Exp; lines: +1 -1  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/regress,v  
working file: calliope/verify/standalone/eq/regress  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 1.8  
date: 1995/03/25 00:23:45; author: brian; state: Exp; lines: +6 -6  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/sim\_eq.v,v  
working file: calliope/verify/standalone/eq/sim\_eq.v  
head: 1.12  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 1.12  
date: 1995/03/25 00:23:49; author: brian; state: Exp; lines: +21 -29  
Commit modifications.  
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_10\_3.mem,v  
working file: calliope/verify/standalone/eq/step64\_10\_3.mem  
head: 6.1  
branch:

cd Mar 21-27 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:23:53; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_10\_3.ref,v  
working file: calliope/verify/standalone/eq/step64\_10\_3.ref  
head: 6.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:23:56; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_10\_3\_gen.c,v  
working file: calliope/verify/standalone/eq/step64\_10\_3\_gen.c  
head: 6.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:23:59; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_8\_0.mem,v  
working file: calliope/verify/standalone/eq/step64\_8\_0.mem  
head: 6.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:24:04; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_8\_0.ref,v  
working file: calliope/verify/standalone/eq/step64\_8\_0.ref  
head: 6.1

cd Mar 21-27 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:24:08; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_8\_0\_gen.c,v  
working file: calliope/verify/standalone/eq/step64\_8\_0\_gen.c  
head: 6.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:24:11; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_8\_3.mem,v  
working file: calliope/verify/standalone/eq/step64\_8\_3.mem  
head: 6.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:24:14; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_8\_3.ref,v  
working file: calliope/verify/standalone/eq/step64\_8\_3.ref  
head: 6.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1;      selected revisions: 1  
description:  
-----  
revision 6.1  
date: 1995/03/25 00:24:18; author: brian; state: Exp;  
Commit modifications.

---

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64\_8\_3\_gen.c,v  
working file: calliope/verify/standalone/eq/step64\_8\_3\_gen.c

cd Mar 21-27 1995.log

head: 6.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

-----  
revision 6.1

date: 1995/03/25 00:24:22; author: brian; state: Exp;

Commit modifications.  
=====